

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Giessharz Härter 1

Substance name

diphenylmethanediisocyanate, isomeres and homologues

Justification

In accordance with Article 2 of the REACH Regulation (EC) No. 1907/2006 polymers are exempted from registration. The monomers have been registered.

Identification numbers

CAS no.

9016-87-9

Index no.

615-005-00-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

filling compound for electrotechnical use

For industrial and professional use only

Uses advised against

Consumer use

1.3 Details of the supplier of the safety data sheet

Address

BBC Cellpack GmbH

Carl-Zeiss-Strasse 20

79761 Waldshut-Tiengen

Telephone no. +49 (0)7741 6007-0

Fax no. +49 (0)7741 64989

e-mail electrical.products@cellpack.com

Information provided by / telephone

+49 (0)7741 6007-0

Advice on Safety Data Sheet

msds@cellpack.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H332

Carc. 2; H351

Eye Irrit. 2; H319

Resp. Sens. 1; H334

Skin Irrit. 2; H315

Skin Sens. 1; H317

STOT RE 2; H373i

STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3 and 4 of Annex I to CLP.

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Product identifier

615-005-00-9 (diphenylmethanediisocyanate, isomeres and homologues)

Hazard pictograms



GHS07



GHS08

Signal word

Danger

Hazard statement(s)

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.
 H373i May cause damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statement(s)

P201 Obtain special instructions before use.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.

Supplemental label elements

Restriction on the use of diisocyanates as per Commission Regulation (EU) 2020/1149 of 3 August 2020 amending Annex XVII to Regulation (EC) No 1907/2006:
 'As from 24 August 2023 adequate training is required before industrial or professional use'

2.3 Other hazards

The product may be a skin sensitiser. It may also be a severe skin irritant. In case of respiratory system hypersensitivity (asthma, chronic bronchitis) do not handle this product.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name diphenylmethanediisocyanate, isomeres and homologues

Identification numbers

CAS no. 9016-87-9

Index no. 615-005-00-9

Components to be mentioned according to Regulation (EU) No. 1907/2006, Annex II, section 3.1

Substance name	Additional information	
CAS / EC / Index / REACH no	Concentration	%
diphenylmethane-4,4'-diisocyanate	component	

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

101-68-8 202-966-0 615-005-00-9 01-2119457014-47	>= 25.00 - < 50.00	wt%
diphenylmethane-2,4'-diisocyanate	component	
5873-54-1 227-534-9 615-005-00-9 01-2119480143-45	< 5.00	wt%
2,2'-methylenediphenyl diisocyanate	component	
2536-05-2 219-799-4 615-005-00-9 01-2119927323-43	< 2.50	wt%

Other information

Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
-	Resp. Sens. 1; H334: C >= 0.1% Eye Irrit. 2; H319: C >= 5% STOT SE 3; H335: C >= 5% Skin Irrit. 2; H315: C >= 5%	-	-

3.2 Mixtures

Not applicable. The product is not a mixture.

SECTION 4: First aid measures
4.1 Description of first aid measures
General information

In all cases of doubt, or when sickness symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove soiled or soaked clothing immediately.

After inhalation

Remove to fresh air, keep patient warm and at rest. Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical advice.

After skin contact

Preferably wash with polyethylene glycol-based cleanser or with plenty of warm water and soap.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1 Extinguishing media
Suitable extinguishing media

 Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

High power water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Hydrogen cyanide (HCN); Isocyanate vapours. Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Appropriate breathing apparatus may be required. Cool endangered containers with water in case of fire. DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES; Fire residues must be disposed of in a proper manner.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Add the same decontaminant to the remnants and let stand for several days until no further reaction in non-sealed container. Once this stage is reached, close container and dispose according to local regulations (see section 13).

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Contaminated areas may be cleaned with recommended decontamination agents: - 8-10% sodium carbonate and 2% aqueous liquid soap; - Liquid/yellow soap (potassium soap with ~ 15% anionic surfactants): 20ml; Water: 700ml; Polyethylene glycol (PEG 400): 350ml; - 30% commercial laundry detergent (containing monoethanolamine), 70% water

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used ! The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Comply with the health and safety at work laws.

General protective and hygiene measures

Do not eat or drink during work - no smoking. Avoid product contact with skin, eyes and clothing

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place. Precautions should be taken to minimise exposure to atmospheric humidity or water: CO₂ will be formed which in closed containers can result in pressurisation.

Requirements for storage rooms and vessels

Keep container tightly closed. Never use pressure to empty: container is not a pressure vessel. No smoking. Prevent unauthorized access! Containers which are opened must be carefully closed and kept upright to prevent leakage.

Incompatible products

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	
List of approved workplace exposure limits (WELs) / EH40			
Isocyanates, all (as -NCO) Exept methyl isocyanate			
	WEL short-term (15 min reference period)	0.07	mg/m ³
	WEL long-term (8-hr TWA reference period)	0.02	mg/m ³
	Comments	Sen	
2	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0
List of approved workplace exposure limits (WELs) / EH40			
Isocyanates, all (as -NCO) Exept methyl isocyanate			
	WEL short-term (15 min reference period)	0.07	mg/m ³
	WEL long-term (8-hr TWA reference period)	0.02	mg/m ³
	Comments	Sen	
3	2,2'-methylenediphenyl diisocyanate	2536-05-2	219-799-4
List of approved workplace exposure limits (WELs) / EH40			
Isocyanates, all (as -NCO) Exept methyl isocyanate			
	WEL short-term (15 min reference period)	0.07	mg/m ³
	WEL long-term (8-hr TWA reference period)	0.02	mg/m ³
	Comments	Sen	

DNEL, DMEL and PNEC values
DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	diphenylmethane-4,4'-diisocyanate			101-68-8 202-966-0	
	inhalative	Long term (chronic)	local	0.05	mg/m ³
	inhalative	Short term (acut)	local	0.1	mg/m ³
2	diphenylmethane-2,4'-diisocyanate			5873-54-1 227-534-9	
	inhalative	Long term (chronic)	local	0.05	mg/m ³
	inhalative	Short term (acut)	local	0.1	mg/m ³
3	2,2'-methylenediphenyl diisocyanate			2536-05-2 219-799-4	
	inhalative	Short term (acut)	local	0.1	mg/m ³
	inhalative	Long term (chronic)	local	0.05	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	diphenylmethane-4,4'-diisocyanate			101-68-8 202-966-0	
	inhalative	Long term (chronic)	local	0.025	mg/m ³
	inhalative	Short term (acut)	local	0.05	mg/m ³
2	diphenylmethane-2,4'-diisocyanate			5873-54-1 227-534-9	
	inhalative	Long term (chronic)	local	0.025	mg/m ³

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

3	inhalative	Short term (acut)	local	0.05	mg/m ³
	2,2'-methylenediphenyl diisocyanate			2536-05-2	219-799-4
	inhalative	Short term (acut)	local	0.05	mg/m ³
	inhalative	Long term (chronic)	local	0.025	mg/m ³

PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	diphenylmethane-4,4'-diisocyanate		101-68-8 202-966-0
	water	fresh water	3.7 µg/L
	water	marine water	0.37 µg/L
	water	fresh water sediment	11.7 mg/kg dry weight
	water	marine water sediment	1.17 mg/kg dry weight
	soil	-	2.33 mg/kg dry weight
	sewage treatment plant	-	1 mg/L
2	diphenylmethane-2,4'-diisocyanate		5873-54-1 227-534-9
	water	fresh water	3.7 µg/L
	water	marine water	0.37 µg/L
	water	fresh water sediment	11.7 mg/kg dry weight
	water	marine water sediment	1.17 mg/kg dry weight
	soil	-	2.33 mg/kg dry weight
3	2,2'-methylenediphenyl diisocyanate		2536-05-2 219-799-4
	water	fresh water	1 mg/L
	water	marine water	0.1 mg/L
	sewage treatment plant	-	1 mg/L
	secondary poisoning	-	1 mg/kg dry weight

8.2 Exposure controls
Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn. Air-fed protective respiratory equipment must be worn by spray operator even when good ventilation is provided.

Personal protective equipment
Respiratory protection

When spraying: air fed respirator. For operations other than spraying: In well ventilated areas, air-fed respirators could be replaced by a combination of charcoal filter and particulate filter mask. Respiratory protection mask with combination filter A/P2.

Eye / face protection

Wear safety goggles to protect against solvent splashes.

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Replace immediately protective gloves if worn or damaged. Make sure that operations are designed so that it is not necessary to wear continuously protective gloves.

Appropriate Material butyl rubber

Material thickness 0.5 mm

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

Breakthrough time		480	min
Appropriate Material	fluorintated rubber		
Material thickness		0.4	mm
Breakthrough time		480	min
Appropriate Material	nitrile rubber		
Material thickness		0.35	mm
Breakthrough time		480	min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
brown			
Odour			
Earthy; musty			
pH value			
not determined			
Boiling point / boiling range			
Value	>	300	°C
Reference pressure		1013	hPa
Source	manufacturer		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Pour point			
Value		-24	°C
Source	manufacturer		
Flash point			
Value		250	°C
Source	manufacturer		
Ignition temperature			
Value	>	500	°C
Source	manufacturer		
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

Vapour pressure		
Value	1	hPa
Reference temperature	20	°C
Value	12	hPa
Reference temperature	50	°C
Value	17	hPa
Reference temperature	55	°C

Relative vapour density		
No data available		

Relative density		
No data available		

Density		
Value	1.24	g/cm ³
Reference temperature	20	°C
Source	manufacturer	

Solubility		
No data available		

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0
log Pow		4.51	
Reference temperature		20	°C
Method		OECD 117	
Source		ECHA	
2	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9
log Pow		4.51	
Reference temperature		22	°C
with reference to		pH 7	
Method		OECD 117	
Source		ECHA	

Kinematic viscosity		
Value	296	mPa*s
Reference temperature	20	°C
Type	dynamic	
Source	manufacturer	

Particle characteristics		
No data available		

9.2 Other information

Other information		
No data available.		

SECTION 10: Stability and reactivity
10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

 Release of carbon dioxide (CO₂) starting from a polymerisation temperature of approximately 200°C.

10.3 Possibility of hazardous reactions

Contamination with incompatible materials and other compounds which react with isocyanates may result in dangerous pressure and possible bursting of closed containers.

10.4 Conditions to avoid

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

Stable under recommended storage and handling conditions(See section 7).

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result distortion blowing and in extreme cases bursting of the container.

10.6 Hazardous decomposition products

In a fire, hazardous decomposition products, such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomers of isocyanates, amines and alcohols may be produced.

SECTION 11: Toxicological information
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0
LD50	>	2000	mg/kg bodyweight
Species	rat		
Source	ECHA / Read across		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0
LD50	>	9400	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA / Read across		

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0
Method	OECD 404		
Source	ECHA / Read across		
Evaluation	irritant		

Serious eye damage/irritation	
No data available	

Respiratory or skin sensitisation	
No data available	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity	
No data available	

Carcinogenicity	
No data available	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Prolonged contact with the skin may produce tannic effects and lead to irritation. Eye contact with the product can cause severe eye irritation with redness and conjunctival swelling. Repeated or prolonged skin contact may cause allergic skin reactions in sensitive individuals which can be seen as redness.

11.2 Information on other hazards
Endocrine disrupting properties

No data available.

Other information

Based on the properties of the isocyanate components and considering toxicological data on similar preparations: This preparation may cause acute irritation and/or sensitisation of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

SECTION 12: Ecological information
12.1 Toxicity

Toxicity to fish (acute)
No data available

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)
No data available

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)
No data available

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9
	BCF	92 - 200	
	Method	OECD 305 E	
	Source	ECHA	
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0
	log Pow	4.51	
	Reference temperature	20 °C	
	Method	OECD 117	
	Source	ECHA	
2	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

log Pow	4.51	
Reference temperature	22	°C
with reference to	pH 7	
Method	OECD 117	
Source	ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

Other adverse effects
Isocyanate reacts with water at the interface forming CO ₂ and a solid insoluble product with high melting point (polyurea). This reaction is accelerated by surfactants (e.g. detergents) or by watersoluble solvents. Previous experience shows that polyurea is inert and non-degradable.

12.8 Other information

Other information
The product should not be allowed to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6 Special precautions for user

Transport within the user's premises: To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

EU safety data sheet

Trade name: Giessharz Härter 1

Product no.: B14

Current version : 8.0.1, issued: 16.05.2024

Replaced version: 7.2.0, issued: 01.08.2023

Region: GB

SECTION 15: Regulatory information
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)				
In accordance with the REACH regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.				
REACH candidate list of substances of very high concern (SVHC) for authorisation				
In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").				
Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES				
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.				No 3
The substance is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.				
No	Substance name	CAS no.	EC no.	No
1	2,2'-methylenediphenyl diisocyanate	2536-05-2	219-799-4	56, 74, 75, 77
2	diphenylmethane-2,4'-diisocyanate	5873-54-1	227-534-9	56, 74, 75, 77
3	diphenylmethane-4,4'-diisocyanate	101-68-8	202-966-0	56, 74, 75, 77
4	diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	-	56, 74, 75, 77
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances				
This substance is not subject to Part 1 or 2 of Annex I				
Other regulations				
Adhere to the national sanitary and occupational safety regulations when using this product.				

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this substance.

SECTION 16: Other information
Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 668979