

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS07

Signal word

Danger

Hazardous component(s) to be indicated on label:

propan-2-ol

acetone

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hazard statement(s)

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe vapours/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- P501 Dispose of contents/container to hazardous or special waste collection point.

Supplemental label elements

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Keep out of the reach of children.

Contains approx. 95 percent by mass of flammable ingredients.

Regulation (EC) No 648/2004 on detergents (Annex VII):

15% -< 30% Aliphatic hydrocarbons

2.3 Other hazards

During and after use possible formation of combustible mixture with solvents.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name aerosol

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

1	propan-2-ol			
	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>= 25.00 - < 50.00	wt%
2	acetone			
	67-64-1 200-662-2 606-001-00-8 01-2119471330-49	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	>= 25.00 - < 50.00	wt%
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			
	64742-49-0 921-024-6 - 01-2119475514-35	Aquatic Chronic 2; H411 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304	>= 10.00 - < 25.00	wt%
4	carbon dioxide			
	124-38-9 204-696-9 - -	Press. Gas refr. liq.; H281	>= 5.00 - < 10.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures
4.1 Description of first aid measures
General information

In all cases of doubt, or when sickness symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove soiled or soaked clothing immediately.

After inhalation

Remove to fresh air, keep patient warm and at rest. Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical advice.

After skin contact

Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures
5.1 Extinguishing media
Suitable extinguishing media

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Exposure to heat may cause bursting of the aerosol packagings.

5.3 Advice for firefighters

When extinguishing fires, use breathing apparatus with an independent source of air. Cool endangered containers with water in case of fire. DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Comply with the health and safety at work laws.

General protective and hygiene measures

Do not eat or drink during work - no smoking.

Advice on protection against fire and explosion

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Storage rooms must be properly ventilated.

Incompatible products

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
List of approved workplace exposure limits (WELs) / EH40			
Propan-2-ol			
	WEL short-term (15 min reference period)	1250	mg/m ³ 500 ppm
	WEL long-term (8-hr TWA reference period)	999	mg/m ³ 400 ppm
2	acetone	67-64-1	200-662-2
2000/39/EC			
Acetone			
	WEL long-term (8-hr TWA reference period)	1210	mg/m ³ 500 ppm
List of approved workplace exposure limits (WELs) / EH40			
Acetone			
	WEL short-term (15 min reference period)	3620	mg/m ³ 1500 ppm
	WEL long-term (8-hr TWA reference period)	1210	mg/m ³ 500 ppm
3	carbon dioxide	124-38-9	204-696-9
2006/15/EC			
Carbon dioxide			
	WEL long-term (8-hr TWA reference period)	9000	mg/m ³ 5000 ppm
List of approved workplace exposure limits (WELs) / EH40			
Carbon dioxide			
	WEL short-term (15 min reference period)	27400	mg/m ³ 15000 ppm
	WEL long-term (8-hr TWA reference period)	9150	mg/m ³ 5000 ppm

DNEL, DMEL and PNEC values
DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	propan-2-ol	67-63-0 200-661-7		
	dermal	Long term (chronic)	systemic	888 mg/kg/day
	inhalative	Long term (chronic)	systemic	500 mg/m ³
2	acetone	67-64-1 200-662-2		
	dermal	Long term (chronic)	systemic	186 mg/kg/day
	inhalative	Short term (acute)	local	2420 mg/m ³
	inhalative	Short term (acute)	systemic	1210 mg/m ³
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0 921-024-6		
	dermal	Long term (chronic)	systemic	773 mg/kg/day
	inhalative	Long term (chronic)	systemic	2035 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	propan-2-ol	67-63-0 200-661-7		
	oral	Long term (chronic)	systemic	26 mg/kg/day
	dermal	Long term (chronic)	systemic	319 mg/kg/day
	inhalative	Long term (chronic)	systemic	89 mg/m ³
2	acetone	67-64-1 200-662-2		
	oral	Long term (chronic)	systemic	62 mg/kg/day
	dermal	Long term (chronic)	systemic	62 mg/kg/day
	inhalative	Long term (chronic)	systemic	200 mg/m ³

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			64742-49-0	
				921-024-6	
	oral	Long term (chronic)	systemic	699	mg/kg/day
	dermal	Long term (chronic)	systemic	699	mg/kg/day
	inhalative	Long term (chronic)	systemic	608	mg/m ³

PNEC values

No	Substance name	CAS / EC no
ecological compartment	Type	Value
1	propan-2-ol	67-63-0 200-661-7
	water	fresh water
		140.9 mg/L
	water	Aqua intermittent
		140.9 mg/L
	water	marine water
		140.9 mg/L
	water	fresh water sediment
		552 mg/L
	water	marine water sediment
		552 mg/L
	soil	-
		28 mg/kg
	sewage treatment plant	-
		2251 mg/L
	secondary poisoning	-
		160 mg/kg
	with reference to: food	
2	acetone	67-64-1 200-662-2
	water	fresh water
		10.6 mg/L
	water	Aqua intermittent
		21 mg/L
	water	marine water
		1.06 mg/L
	water	fresh water sediment
		30.4 mg/kg
	water	marine water sediment
		3.04 mg/kg
	soil	-
		29.5 mg/kg
	sewage treatment plant	-
		100 mg/L

8.2 Exposure controls
Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment
Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators:

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

In case of short-term contact / splash protection:

Appropriate Material	butyl rubber		
Material thickness	>	0.7	mm
Breakthrough time	>=	480	min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form/Colour		
Aerosol		
colourless		
Odour		
solvent-like		
pH value		
No data available		
Boiling point / boiling range		
Not applicable		
Melting point/freezing point		
No data available		
Decomposition temperature		
No data available		
Flash point		
Not applicable		
Ignition temperature		
No data available		
Auto-ignition temperature		
Value	425	°C
Flammability		
No data available		
Lower explosion limit		
Value	0.6	% vol
Upper explosion limit		
Value	12	% vol
Vapour pressure		
Value	4.0	hPa
Reference temperature	20	°C
Comments	pressure inside the can	
Value	7.0	hPa
Reference temperature	50	
Comments	pressure inside the can	
Relative vapour density		
No data available		
Relative density		
No data available		
Density		
Value	0.77	g/cm ³
Reference temperature	20	°C
Solubility in water		
Comments	insoluble	

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
log Pow		0.05	
Reference temperature		25 °C	
Source		ECHA	
2	acetone	67-64-1	200-662-2
log Pow		-0.23	
Method		QSAR	
Source		ECHA	

Viscosity	
No data available	

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity
10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions(See section 7). Protect from sun.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LD50		5840 mg/kg bodyweight	
Species		rat	
Method		OECD 401	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	acetone	67-64-1	200-662-2
LD50		5800 mg/kg bodyweight	
Species		rat	
Source		ECHA	

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.
---------------------------	---

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
LD50	>	15800	mg/kg bodyweight
Species	rabbit		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LC50	>	10000	ppmV
Duration of exposure		6	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	acetone	67-64-1	200-662-2
LC50		76	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
LC50	>	25.2	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Source	ECHA		

Skin corrosion/irritation	
No	Product Name
1	Universal Cleaner 121 Spray
Evaluation	irritant

Serious eye damage/irritation	
No	Product Name
1	Universal Cleaner 121 Spray
Evaluation	irritant

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	acetone	67-64-1	200-662-2
Route of exposure	Skin		
Species	guinea pig		
Source	ECHA		
Evaluation	non-sensitizing		

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.
---------------------------	---

Germ cell mutagenicity	
No	Product Name
1	Universal Cleaner 121 Spray
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	acetone	67-64-1	200-662-2
Route of exposure		inhalational	
NOAEC		2200	ppm
Type of examination		Prenatal Developmental Toxicity Study	
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity	
No	Product Name
1	Universal Cleaner 121 Spray
Evaluation/classification	Based on available data, the classification criteria are not met.

STOT - single exposure
No data available

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Route of exposure		inhalational	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	acetone	67-64-1	200-662-2
Route of exposure		oral	
NOAEL		10000	ppm
Species		rat	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
NOAEC		19000	ppm
Species		rat	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
Route of exposure		inhalational	
NOAEC		14000	mg/m ³
Species		rat	
Source		ECHA	

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

liquid splashed in the eyes may cause irritation and reversible damage.

11.2 Information on other hazards
Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information
12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
LC50		9640	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		
2	acetone	67-64-1	200-662-2
LC50		5540	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
LC50		11.4	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
EC50		>	10000
Duration of exposure		24	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	acetone	67-64-1	200-662-2
EC50		8800	mg/l
Duration of exposure		48	h
Species	Daphnia pulex		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
EL50		3	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Toxicity to Daphnia (chronic)			
No data available			

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
EL50		30	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No data available			

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
Type	BOD/COD		
Value		53	%
Duration		5	day(s)
Source	ECHA		
Evaluation	readily biodegradable		
2	acetone	67-64-1	200-662-2
Type	aerobic biodegradation		
Value		90.9	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
3	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0	921-024-6
Value		98	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
log Pow		0.05	
Reference temperature		25	°C
Source	ECHA		
2	acetone	67-64-1	200-662-2
log Pow		-0.23	
Method	QSAR		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
The product should not be allowed to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Hand over only completely emptied aerosol cans for valuable substance recovery!

Packaging

Waste code	15 01 04; 15 01 10*	metallic packaging; packaging containing residues of or contaminated by hazardous substances
------------	---------------------	--

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	2
Classification code	5F
UN number	UN1950
Proper shipping name	AEROSOLS
Tunnel restriction code	D
Label	2.1

14.2 Transport IMDG

Class	2
UN number	UN1950
Proper shipping name	AEROSOLS
EmS	F-D, S-U
Label	2.1
Comments	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II at least.

14.3 Transport ICAO-TI / IATA

Class	2.1
UN number	UN1950
Proper shipping name	Aerosols, flammable
Label	2.1
Comments	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II (IATA-Regulation 5.2 PI203).

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)	
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.	
REACH candidate list of substances of very high concern (SVHC) for authorisation	
According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.	
Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES	
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances	
This product is subject to Part I of Annex I, risk category:	P3a
Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)	
VOC content	95.80 %
VOC-value	737.7 g/l
Other regulations	
Adhere to the national sanitary and occupational safety regulations when using this product.	

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066	Repeated exposure may cause skin dryness or cracking.
H225	Highly flammable liquid and vapour.
H281	Contains refrigerated gas; may cause cryogenic burns or injury.
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects.

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

EU safety data sheet

Trade name: Universal Cleaner 121 Spray

Product no.: L1

Current version : 5.0.0, issued: 08.07.2021

Replaced version: 5.0.0, issued: 29.01.2020

Region: GB

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 613887