

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Electro 2-26 Spray

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Protection spray for electrical equipment

For industrial and professional use only

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

BBC Cellpack GmbH

Carl-Zeiss-Strasse 20

79761 Waldshut-Tiengen

Telephone no. +49 (0)7741 6007-0

Fax no. +49 (0)7741 64989

e-mail electrical.products@cellpack.com

Information provided by / telephone

+49 (0)7741 6007-0

Advice on Safety Data Sheet

msds@cellpack.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222

Asp. Tox. 1; H304

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02

Signal word

Danger

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

Hazardous component(s) to be indicated on label:

NAPHTHA, HYDROTREATED HEAVY

Hazard statement(s)

 H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Supplemental label elements

 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
 Keep out of the reach of children.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients
3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures
Chemical characterization

Mixture of the following substances, containing non-hazardous substances:

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	NAPHTHA, HYDROTREATED HEAVY		
	64742-48-9 265-150-3 649-327-00-6 01-2119457273-39	Asp. Tox. 1; H304 EUH066	>= 50.00 - < 70.00 wt%
2	carbon dioxide		
	124-38-9 204-696-9 - -	Press. Gas; H280	>= 5.00 - < 10.00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures
4.1 Description of first aid measures
General information

In all cases of doubt, or when sickness symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove soiled or soaked clothing immediately.

After inhalation

Remove to fresh air, keep patient warm and at rest. Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical advice.

After skin contact

Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Exposure to heat may cause bursting of the aerosol packagings.

5.3 Advice for firefighters

When extinguishing fires, use breathing apparatus with an independent source of air. Cool endangered containers with water in case of fire. **DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES**

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Comply with the health and safety at work laws. Ensure adequate ventilation.

General protective and hygiene measures

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Avoid contact with eyes and skin. Observe the usual precautions when handling chemicals.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place.

Recommended storage temperature

Value 20 °C

Requirements for storage rooms and vessels

Storage rooms must be properly ventilated.

Incompatible products

Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	carbon dioxide	124-38-9	204-696-9
	2006/15/EC		
	Carbon dioxide		
	WEL long-term (8-hr TWA reference period)	9000 mg/m ³	5000 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Carbon dioxide		
	WEL short-term (15 min reference period)	27400 mg/m ³	15000 ppm
	WEL long-term (8-hr TWA reference period)	9150 mg/m ³	5000 ppm

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators: Use half-mask model with cartridge or air-fed.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber

Other

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

Personal should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
Aerosol	
Colour	
light brown	
Odour	
characteristic	
pH value	
No data available	
Boiling point / boiling range	
Not applicable	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Value	105 °C
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value	0.8 g/cm ³
Solubility	
No data available	
Partition coefficient n-octanol/water (log value)	
No data available	

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

Kinematic viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

11.2 Information on other hazards

Endocrine disrupting properties
No data available.

Other information
No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
The product should not be allowed to enter drains or water courses.

EU safety data sheet

Trade name: Electro 2-26 Spray

Product no.: L8

Current version : 5.0.0, issued: 19.09.2023

Replaced version: 4.1.0, issued: 03.03.2021

Region: GB

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 16 05 04* gases in pressure containers (including halons) containing hazardous substances

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Hand over only completely emptied aerosol cans for valuable substance recovery!

Packaging

Waste code 15 01 04 metallic packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 2
 Classification code 5A
 UN number UN1950
 Proper shipping name AEROSOLS
 Tunnel restriction code E
 Label 2.2

14.2 Transport IMDG

Class 2
 UN number UN1950
 Proper shipping name AEROSOLS
 EmS F-D, S-U
 Label 2.2

14.3 Transport ICAO-TI / IATA

Class 2.2
 UN number UN1950
 Proper shipping name Aerosols, non-flammable
 Label 2.2

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

