

## Branch clamp

for low voltage

Branch clamp for aluminium sector shaped conductors. Suitable for 3- or 4-core cables with PVC, XLPE (VPE) EPR insulation.



## Product description

Article name	Branch clamp 3x150/150
Article number	126199

### Characteristics

Contact screws can be accessed from the side or from above

No stripping of wires

Can be installed / operated while under voltage

Safe and easy to handle

### Applications

RM (class 2), SE (class 1) according to DIN EN/IEC 60228 (VDE 0295)

## Technical data

Article name	Branch clamp 3x150/150
Article number	126199
Materials	Blank aluminium
Cross section Cu/RM min	150 mm <sup>2</sup>
Cross section Cu/RM max	150 mm <sup>2</sup>
Cross section Branch cable min	50 mm <sup>2</sup>
Cross section Branch cable max	150 mm <sup>2</sup>
Width across flat 1	8 mm
Width across flat 2	8 mm
Diameter D	126 mm
Number of conductors	3 Pieces

## Logistics data

Article name	Branch clamp 3x150/150
Article number	126199
Delivery scope	Branch clamp
Country of origin	Germany
Customs tariff number	85369010
EAN/GTIN	4010311048789

## Packaging data

Packaging type	Bag1	Carton
Content quantity	1	5
Unit of measure	Piece	Piece
Length (mm)	182	220
Width (mm)	141	160
Height (mm)	85	150
Net weight (kg)	0.989	4.945
Gross weight (kg)	0.989	5.245