

Multi tool

for the preparation of medium voltage cables

The multi tool CP-FLM 20 is designed for cutting and stripping of the outer cable sheaths and the conductor insulation, as well as for removal of cold-strippable semi-conductive layers. Spare blades may also be ordered separately.



Product description

Article name	CP-FLM20 Multi tool
Article number	250351

Characteristics
Suitable for cables with a diameter of 15 - 50 mm
For cold-strippable conducting layer thickness of 0.3/0.4 mm or 0.7/0.8 mm
Adjustable stop and limiting bar
Cut depth of the insulation and external sheath up to 10 mm
Suitable for PVC-/PE-/XLPE-insulation
Adjustable feed motion

Applications
Cutting and stripping of outer sheath
Controlled initial cutting of coldstrippable semi-conducting layer
Cutting and stripping of conductor insulation

Technical data

Article name	CP-FLM20 Multi tool
Article number	250351

Logistics data

Article name	CP-FLM20 Multi tool
Article number	250351
Delivery scope	Transport case
	Multi tool
	Assembly material
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	82055980
EAN/GTIN	4010311133546

Packaging data

Alternative unit of measure	Box	Carton
Base quantity	1	5
Base unit of measure	Piece	Piece
Length (mm)	395	585
Width (mm)	293	400
Height (mm)	105	340
Net weight (kg)	2.534	12.67
Gross weight (kg)	2.534	12.97