

Multi tool

for the preparation of medium voltage cables

The multi tool CP-FLM 20 is designed for cutting and stripping of the outer cable sheaths and the conductor insulation, as well as for removal of cold-strippable semi-conductive layers. Spare blades may also be ordered separately.



Product description

| | |
|----------------|---|
| Article name | CP-FLM20-S2 Spare blade (for semiconductor-layer) |
| Article number | 250358 |

Characteristics

| |
|--|
| Suitable for cables with a diameter of 15 - 50 mm |
| For cold-strippable conducting layer thickness of 0.3/0.4 mm or 0.7/0.8 mm |
| Adjustable stop and limiting bar |
| Cut depth of the insulation and external sheath up to 10 mm |
| Suitable for PVC-/PE-/XLPE-insulation |
| Adjustable feed motion |

Applications

| |
|--|
| Cutting and stripping of outer sheath |
| Controlled initial cutting of coldstrippable semi-conducting layer |
| Cutting and stripping of conductor insulation |

Technical data

| | |
|----------------|---|
| Article name | CP-FLM20-S2 Spare blade (for semiconductor-layer) |
| Article number | 250358 |
| Length L | 36.5 mm |
| Width B | 13.5 mm |

Logistics data

| | |
|------------------------|---|
| Article name | CP-FLM20-S2 Spare blade (for semiconductor-layer) |
| Article number | 250358 |
| Delivery scope | Spare blade (for semiconductor-layer) |
| Shelf life description | Unlimited shelf life |
| Country of origin | Germany |
| Customs tariff number | 82055980 |
| EAN/GTIN | 4010311133584 |

Packaging data

| | |
|-----------------------------|-------|
| Alternative unit of measure | Case |
| Base quantity | 1 |
| Base unit of measure | Piece |
| Length (mm) | 36.5 |
| Width (mm) | 13.5 |
| Height (mm) | 4 |
| Net weight (kg) | 0.05 |
| Gross weight (kg) | 0.05 |