

Compression cable lug Al  
longitudinally sealed for low and medium voltage

Cable lug (hexagonally compressed) for aluminium conductors, suitable for indoor and outdoor cable terminations.



Product description

|                |   |
|----------------|---|
| Article name   | DK-AL-LD 300/16   |
| Article number | 194932  |
| Notes          | To be used with suitable crimping tool with DIN inserts |

Applications

Cable lug for aluminium conductor RM/SM (Class 2), RE and SE (Class 1) according to DIN EN 60228 (VDE 0295)

## Technical data



|                             |                     |
|-----------------------------|---------------------|
| Article name                | DK-AL-LD 300/16     |
| Article number              | 194932              |
| Test standards              | DIN 46329           |
| Materials                   | Blank aluminium     |
| Length L                    | 103 mm              |
| Width B                     | 38 mm               |
| Diameter D1                 | 23.3 mm             |
| Diameter D2                 | 17 mm               |
| Diameter D3                 | 34 mm               |
| Nominal cross section RM/SM | 300 mm <sup>2</sup> |
| Press die code K            | 34 mm               |
| Length A                    | 70 mm               |

## Logistics data

|                       |                       |
|-----------------------|-----------------------|
| Article name          | DK-AL-LD 300/16       |
| Article number        | 194932                |
| Delivery scope        | Compression cable lug |
| Country of origin     | Czech Republic        |
| Customs tariff number | 85369010              |
| EAN/GTIN              | 4010311052984         |

## Packaging data

|                   |       |        |
|-------------------|-------|--------|
| Packaging type    | Bag1  | Carton |
| Content quantity  | 1     | 25     |
| Unit of measure   | Piece | Piece  |
| Lenght (mm)       | 122   | 290    |
| Width (mm)        | 30    | 195    |
| Height (mm)       | 30    | 145    |
| Net weight (kg)   | 0.175 | 4.375  |
| Gross weight (kg) | 0.175 | 4.675  |