

Compression cable lug Al

longitudinally sealed for low and medium voltage

Cable lug (hexagonally compressed) for aluminium conductors, suitable for indoor and outdoor cable terminations.



Product description

Article name	DK-AL-LD 95/12
Article number	194941
Notes	To be used with suitable crimping tool with DIN inserts

Applications

Cable lug for aluminium conductor RM/SM (Class 2), RE and SE (Class 1) according to DIN EN 60228 (VDE 0295)

pos.	na en tekening	na tekening	na tekening
1	Alu	Alu	70,0 mm
2	Alu	Alu	20,0 mm
3	Alu	Alu	13,0 mm
4	Alu	Alu	13,0 mm
5	Alu	Alu	13,0 mm
6	Alu	Alu	13,0 mm
7	Alu	Alu	13,0 mm
8	Alu	Alu	13,0 mm
9	Alu	Alu	13,0 mm
10	Alu	Alu	13,0 mm
11	Alu	Alu	13,0 mm
12	Alu	Alu	13,0 mm
13	Alu	Alu	13,0 mm
14	Alu	Alu	13,0 mm
15	Alu	Alu	13,0 mm
16	Alu	Alu	13,0 mm
17	Alu	Alu	13,0 mm
18	Alu	Alu	13,0 mm
19	Alu	Alu	13,0 mm
20	Alu	Alu	13,0 mm
21	Alu	Alu	13,0 mm
22	Alu	Alu	13,0 mm
23	Alu	Alu	13,0 mm
24	Alu	Alu	13,0 mm
25	Alu	Alu	13,0 mm
26	Alu	Alu	13,0 mm
27	Alu	Alu	13,0 mm
28	Alu	Alu	13,0 mm
29	Alu	Alu	13,0 mm
30	Alu	Alu	13,0 mm
31	Alu	Alu	13,0 mm
32	Alu	Alu	13,0 mm
33	Alu	Alu	13,0 mm
34	Alu	Alu	13,0 mm
35	Alu	Alu	13,0 mm
36	Alu	Alu	13,0 mm
37	Alu	Alu	13,0 mm
38	Alu	Alu	13,0 mm
39	Alu	Alu	13,0 mm
40	Alu	Alu	13,0 mm
41	Alu	Alu	13,0 mm
42	Alu	Alu	13,0 mm
43	Alu	Alu	13,0 mm
44	Alu	Alu	13,0 mm
45	Alu	Alu	13,0 mm
46	Alu	Alu	13,0 mm
47	Alu	Alu	13,0 mm
48	Alu	Alu	13,0 mm
49	Alu	Alu	13,0 mm
50	Alu	Alu	13,0 mm
51	Alu	Alu	13,0 mm
52	Alu	Alu	13,0 mm
53	Alu	Alu	13,0 mm
54	Alu	Alu	13,0 mm
55	Alu	Alu	13,0 mm
56	Alu	Alu	13,0 mm
57	Alu	Alu	13,0 mm
58	Alu	Alu	13,0 mm
59	Alu	Alu	13,0 mm
60	Alu	Alu	13,0 mm
61	Alu	Alu	13,0 mm
62	Alu	Alu	13,0 mm
63	Alu	Alu	13,0 mm
64	Alu	Alu	13,0 mm
65	Alu	Alu	13,0 mm
66	Alu	Alu	13,0 mm
67	Alu	Alu	13,0 mm
68	Alu	Alu	13,0 mm
69	Alu	Alu	13,0 mm
70	Alu	Alu	13,0 mm
71	Alu	Alu	13,0 mm
72	Alu	Alu	13,0 mm
73	Alu	Alu	13,0 mm
74	Alu	Alu	13,0 mm
75	Alu	Alu	13,0 mm
76	Alu	Alu	13,0 mm
77	Alu	Alu	13,0 mm
78	Alu	Alu	13,0 mm
79	Alu	Alu	13,0 mm
80	Alu	Alu	13,0 mm
81	Alu	Alu	13,0 mm
82	Alu	Alu	13,0 mm
83	Alu	Alu	13,0 mm
84	Alu	Alu	13,0 mm
85	Alu	Alu	13,0 mm
86	Alu	Alu	13,0 mm
87	Alu	Alu	13,0 mm
88	Alu	Alu	13,0 mm
89	Alu	Alu	13,0 mm
90	Alu	Alu	13,0 mm
91	Alu	Alu	13,0 mm
92	Alu	Alu	13,0 mm
93	Alu	Alu	13,0 mm
94	Alu	Alu	13,0 mm
95	Alu	Alu	13,0 mm
96	Alu	Alu	13,0 mm
97	Alu	Alu	13,0 mm
98	Alu	Alu	13,0 mm
99	Alu	Alu	13,0 mm
100	Alu	Alu	13,0 mm

pos.	na en tekening	na tekening	na tekening
1	Alu	Alu	70,0 mm
2	Alu	Alu	20,0 mm
3	Alu	Alu	13,0 mm
4	Alu	Alu	13,0 mm
5	Alu		

Article name	DK-AL-LD 95/12
Article number	194941
Test standards	DIN 46329
Materials	Blank aluminium
Length L	75 mm
Width B	25 mm
Diameter D1	12.6 mm
Diameter D2	13 mm
Diameter D3	22 mm
Nominal cross section RM/SM	95 mm <sup>2</sup>
Nominal cross section SE	120 mm <sup>2</sup>
Press die code K	22 mm
Length A	56 mm

## Logistics data

Article name	DK-AL-LD 95/12
Article number	194941
Delivery scope	Compression cable lug
Country of origin	Czech Republic
Customs tariff number	85369010
EAN/GTIN	4010311052892

## Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	50
Base unit of measure	Piece	Piece
Lenght (mm)	90	210
Width (mm)	25	160
Height (mm)	22	190
Net weight (kg)	0.055	2.75
Gross weight (kg)	0.055	3.05