

Compression cable lug Cu  
longitudinally sealed for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for outdoor cable terminations.




Product description

Article name	DK-CU-V-LD 50/12
Article number	126135
Notes	To be used with suitable crimping tool with DIN inserts

Applications
Cable lug for copper conductor RM/SM (Class 2) and Classes 5 and 6 according DIN EN 60228 (VDE 0295)

## Technical data



Article name	DK-CU-V-LD 50/12
Article number	126135
Test standards	DIN 46235
Materials	Copper tin-plated
Length L	52 mm
Width B	24 mm
Diameter D1	10 mm
Diameter D2	13 mm
Diameter D3	14.5 mm
Nominal cross section min	50 mm <sup>2</sup>
Press die code K	14 mm
Length A	28 mm

## Logistics data

Article name	DK-CU-V-LD 50/12
Article number	126135
Delivery scope	Compression cable lug
Country of origin	Germany
Customs tariff number	85369010
EAN/GTIN	4010311052724

## Packaging data

Alternative unit of measure	Bag1	Case
Base quantity	1	50
Base unit of measure	Piece	Piece
Lenght (mm)	64	165
Width (mm)	15	135
Height (mm)	15	80
Net weight (kg)	0.044	2.2
Gross weight (kg)	0.044	2.5