

Compression cable lug Cu

for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.




Product description

Article name	DK-CU-V 6/6
Article number	126040
Notes	To be used with suitable crimping tool with DIN inserts

Applications

Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

Technical data



Article name	DK-CU-V 6/6
Article number	126040
Test standards	DIN 46235 IEC 61238
Materials	Copper tin-plated
Length L	24 mm
Width B	8.5 mm
Diameter D1	3.8 mm
Diameter D2	6.4 mm
Diameter D3	5.5 mm
Nominal cross section min	6 mm ²
Press die code K	5 mm
Length A	10 mm

Logistics data

Article name	DK-CU-V 6/6
Article number	126040
Delivery scope	Compression cable lug
Country of origin	Germany
Customs tariff number	85369010
EAN/GTIN	4010311052397

Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	100
Base unit of measure	Piece	Piece
Length (mm)	33	83
Width (mm)	4	68
Height (mm)	2	58
Net weight (kg)	0.003	0.3
Gross weight (kg)	0.003	0.6