

Compression cable lug Cu

for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.




Product description

| | |
|----------------|---|
| Article name | DK-CU-V 10/8 |
| Article number | 126044 |
| Notes | To be used with suitable crimping tool with DIN inserts |

Applications

Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

Technical data



| | |
|---------------------------|------------------------|
| Article name | DK-CU-V 10/8 |
| Article number | 126044 |
| Test standards | DIN 46235 IEC 61238 |
| Materials | Copper tin-plated |
| Length L | 27 mm |
| Width B | 13 mm |
| Diameter D1 | 4.5 mm |
| Diameter D2 | 8.4 mm |
| Diameter D3 | 6 mm |
| Nominal cross section min | 10 mm ² |
| Press die code K | 6 mm |
| Length A | 12 mm |

Logistics data

| | |
|-----------------------|-----------------------|
| Article name | DK-CU-V 10/8 |
| Article number | 126044 |
| Delivery scope | Compression cable lug |
| Country of origin | Poland |
| Customs tariff number | 85369010 |
| EAN/GTIN | 4010311052403 |

Packaging data

| Alternative unit of measure | Bag1 | Carton |
|-----------------------------|-------|--------|
| Base quantity | 1 | 100 |
| Base unit of measure | Piece | Piece |
| Length (mm) | 38 | 97 |
| Width (mm) | 11 | 97 |
| Height (mm) | 5 | 49 |
| Net weight (kg) | 0.004 | 0.4 |
| Gross weight (kg) | 0.004 | 0.7 |