

Compression cable lug Cu
for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.




Product description

| | |
|----------------|---|
| Article name | DK-CU-V 25/12 |
| Article number | 126052 |
| Notes | To be used with suitable crimping tool with DIN inserts |

| |
|--|
| Applications |
| Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295) |

Technical data



| | |
|---------------------------|--------------------|
| Article name | DK-CU-V 25/12 |
| Article number | 126052 |
| Test standards | DIN 46235 |
| | IEC 61238 |
| Materials | Copper tin-plated |
| Length L | 38 mm |
| Width B | 19 mm |
| Diameter D1 | 7 mm |
| Diameter D2 | 13 mm |
| Diameter D3 | 10 mm |
| Nominal cross section min | 25 mm ² |
| Press die code K | 10 mm |
| Length A | 20 mm |

Logistics data

| | |
|-----------------------|-----------------------|
| Article name | DK-CU-V 25/12 |
| Article number | 126052 |
| Delivery scope | Compression cable lug |
| Country of origin | Poland |
| Customs tariff number | 85369010 |
| EAN/GTIN | 4010311052441 |

Packaging data

| | | |
|-------------------|-------|--------|
| Packaging type | Bag1 | Carton |
| Content quantity | 1 | 100 |
| Unit of measure | Piece | Piece |
| Lenght (mm) | 53 | 97 |
| Width (mm) | 15 | 97 |
| Height (mm) | 7 | 97 |
| Net weight (kg) | 0.016 | 1.6 |
| Gross weight (kg) | 0.016 | 1.9 |