

Compression cable lug Cu  
for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.




Product description

Article name	DK-CU-V 35/10
Article number	126054
Notes	To be used with suitable crimping tool with DIN inserts

Applications

Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

## Technical data



Article name	DK-CU-V 35/10
Article number	126054
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	42 mm
Width B	19 mm
Diameter D1	8.2 mm
Diameter D2	10.5 mm
Diameter D3	12.5 mm
Nominal cross section min	35 mm <sup>2</sup>
Press die code K	12 mm
Length A	20 mm

## Logistics data

Article name	DK-CU-V 35/10
Article number	126054
Delivery scope	Compression cable lug
Country of origin	Poland
Customs tariff number	85369010
EAN/GTIN	4010311052458

## Packaging data

Alternative unit of measure	Bag1	Case
Base quantity	1	100
Base unit of measure	Piece	Piece
Lenght (mm)	56	140
Width (mm)	16	110
Height (mm)	12	60
Net weight (kg)	0.03	3
Gross weight (kg)	0.03	3.3