

Compression cable lug Cu  
for low and medium voltage

Cable lug (hexagonally compressed) for copper  
conductors, suitable for indoor cable terminations.



Product description

Article name	DK-CU-V 50/10
Article number	126059
Notes	To be used with suitable crimping tool with DIN inserts

Applications

Cable lug recommended for copper conductors RM/SM  
(class 2) according to DIN EN 60228 (VDE 0295)

## Technical data



Article name	DK-CU-V 50/10
Article number	126059
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	52 mm
Width B	22 mm
Diameter D1	10 mm
Diameter D2	10.5 mm
Diameter D3	14.5 mm
Nominal cross section min	50 mm <sup>2</sup>
Press die code K	14 mm
Length A	28 mm

## Logistics data

Article name	DK-CU-V 50/10
Article number	126059
Delivery scope	Compression cable lug
Country of origin	Poland
Customs tariff number	85369010
EAN/GTIN	4010311052472

## Packaging data

Packaging type	Bag1	Carton
Content quantity	1	100
Unit of measure	Piece	Piece
Lenght (mm)	67	145
Width (mm)	20	145
Height (mm)	12	97
Net weight (kg)	0.047	4.7
Gross weight (kg)	0.047	5