

Compression cable lug Cu  
for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.




Product description

Article name	DK-CU-V 70/10
Article number	126064
Notes	To be used with suitable crimping tool with DIN inserts

Applications
Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

## Technical data



Article name	DK-CU-V 70/10
Article number	126064
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	55 mm
Width B	24 mm
Diameter D1	11.5 mm
Diameter D2	10.5 mm
Diameter D3	16.5 mm
Nominal cross section min	70 mm <sup>2</sup>
Press die code K	16 mm
Length A	28 mm

## Logistics data

Article name	DK-CU-V 70/10
Article number	126064
Delivery scope	Compression cable lug
Country of origin	Poland
Customs tariff number	85369010
EAN/GTIN	4010311052496

## Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	100
Base unit of measure	Piece	Piece
Lenght (mm)	70	195
Width (mm)	20	145
Height (mm)	15	97
Net weight (kg)	0.064	6.4
Gross weight (kg)	0.064	6.7