

Compression cable lug Cu  
for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.



Product description

Article name	DK-CU-V 70/12
Article number	126065
Notes	To be used with suitable crimping tool with DIN inserts

Applications
Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

## Technical data



Article name	DK-CU-V 70/12
Article number	126065
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	55 mm
Width B	24 mm
Diameter D1	11.5 mm
Diameter D2	13 mm
Diameter D3	16.5 mm
Nominal cross section min	70 mm <sup>2</sup>
Press die code K	16 mm
Length A	28 mm

## Logistics data

Article name	DK-CU-V 70/12
Article number	126065
Delivery scope	Compression cable lug
Country of origin	Poland
Customs tariff number	85369010
EAN/GTIN	4010311052502

## Packaging data

Packaging type	Bag1	Carton
Content quantity	1	100
Unit of measure	Piece	Piece
Length (mm)	70	195
Width (mm)	22	145
Height (mm)	15	97
Net weight (kg)	0.062	6.2
Gross weight (kg)	0.062	6.5