

## Compression cable lug Cu

for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.



### Product description

Article name	DK-CU-V 95/12
Article number	126070
Notes	To be used with suitable crimping tool with DIN inserts

### Applications

Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

Technical data



Article name	DK-CU-V 95/12
Article number	126070
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	65 mm
Width B	28 mm
Diameter D1	13.5 mm
Diameter D2	13 mm
Diameter D3	19 mm
Nominal cross section min	95 mm <sup>2</sup>
Press die code K	18 mm
Length A	35 mm

## Logistics data

Article name	DK-CU-V 95/12
Article number	126070
Delivery scope	Compression cable lug
Country of origin	Poland
Customs tariff number	85369010
EAN/GTIN	4010311052519

## Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	50
Base unit of measure	Piece	Piece
Length (mm)	80	145
Width (mm)	24	145
Height (mm)	17	97
Net weight (kg)	0.092	4.6
Gross weight (kg)	0.092	4.9