

Compression cable lug Cu
for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.



Product description

Article name	DK-CU-V 95/12
Article number	126070
Notes	To be used with suitable crimping tool with DIN inserts

Applications

Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

pos.	na en tekening	na tekening	na tekening
1	Stang	Length	80,0 mm
2	Stang	Stang	20,0 mm
3	Stang	Stang	20,0 mm
4	Stang	Stang	20,0 mm
5	Stang	Stang	20,0 mm
6	Stang	Stang	20,0 mm
7	Stang	Stang	20,0 mm
8	Stang	Stang	20,0 mm
9	Stang	Stang	20,0 mm
10	Stang	Stang	20,0 mm
11	Stang	Stang	20,0 mm
12	Stang	Stang	20,0 mm
13	Stang	Stang	20,0 mm
14	Stang	Stang	20,0 mm
15	Stang	Stang	20,0 mm
16	Stang	Stang	20,0 mm
17	Stang	Stang	20,0 mm
18	Stang	Stang	20,0 mm
19	Stang	Stang	20,0 mm
20	Stang	Stang	20,0 mm
21	Stang	Stang	20,0 mm
22	Stang	Stang	20,0 mm
23	Stang	Stang	20,0 mm
24	Stang	Stang	20,0 mm
25	Stang	Stang	20,0 mm
26	Stang	Stang	20,0 mm
27	Stang	Stang	20,0 mm
28	Stang	Stang	20,0 mm
29	Stang	Stang	20,0 mm
30	Stang	Stang	20,0 mm
31	Stang	Stang	20,0 mm
32	Stang	Stang	20,0 mm
33	Stang	Stang	20,0 mm
34	Stang	Stang	20,0 mm
35	Stang	Stang	20,0 mm
36	Stang	Stang	20,0 mm
37	Stang	Stang	20,0 mm
38	Stang	Stang	20,0 mm
39	Stang	Stang	20,0 mm
40	Stang	Stang	20,0 mm
41	Stang	Stang	20,0 mm
42	Stang	Stang	20,0 mm
43	Stang	Stang	20,0 mm
44	Stang	Stang	20,0 mm
45	Stang	Stang	20,0 mm
46	Stang	Stang	20,0 mm
47	Stang	Stang	20,0 mm
48	Stang	Stang	20,0 mm
49	Stang	Stang	20,0 mm
50	Stang	Stang	20,0 mm
51	Stang	Stang	20,0 mm
52	Stang	Stang	20,0 mm
53	Stang	Stang	20,0 mm
54	Stang	Stang	20,0 mm
55	Stang	Stang	20,0 mm
56	Stang	Stang	20,0 mm
57	Stang	Stang	20,0 mm
58	Stang	Stang	20,0 mm
59	Stang	Stang	20,0 mm
60	Stang	Stang	20,0 mm
61	Stang	Stang	20,0 mm
62	Stang	Stang	20,0 mm
63	Stang	Stang	20,0 mm
64	Stang	Stang	20,0 mm
65	Stang	Stang	20,0 mm
66	Stang	Stang	20,0 mm
67	Stang	Stang	20,0 mm
68	Stang	Stang	20,0 mm
69	Stang	Stang	20,0 mm
70	Stang	Stang	20,0 mm
71	Stang	Stang	20,0 mm
72	Stang	Stang	20,0 mm
73	Stang	Stang	20,0 mm
74	Stang	Stang	20,0 mm
75	Stang	Stang	20,0 mm
76	Stang	Stang	20,0 mm
77	Stang	Stang	20,0 mm
78	Stang	Stang	20,0 mm
79	Stang	Stang	20,0 mm
80	Stang	Stang	20,0 mm
81	Stang	Stang	20,0 mm
82	Stang	Stang	20,0 mm
83	Stang	Stang	20,0 mm
84	Stang	Stang	20,0 mm
85	Stang	Stang	20,0 mm
86	Stang	Stang	20,0 mm
87	Stang	Stang	20,0 mm
88	Stang	Stang	20,0 mm
89	Stang	Stang	20,0 mm
90	Stang	Stang	20,0 mm
91	Stang	Stang	20,0 mm
92	Stang	Stang	20,0 mm
93	Stang	Stang	20,0 mm
94	Stang	Stang	20,0 mm
95	Stang	Stang	20,0 mm
96	Stang	Stang	20,0 mm
97	Stang	Stang	20,0 mm
98	Stang	Stang	20,0 mm
99	Stang	Stang	20,0 mm
100	Stang	Stang	20,0 mm

na tekening	na tekening	na tekening	na tekening
na tekening	na tekening	na tekening	na tekening
na tekening	na tekening	na tekening	na tekening
na tekening	na tekening	na tekening	na tekening
na tekening	na tekening	na tekening</	

Article name	DK-CU-V 95/12
Article number	126070
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	65 mm
Width B	28 mm
Diameter D1	13.5 mm
Diameter D2	13 mm
Diameter D3	19 mm
Nominal cross section min	95 mm²
Press die code K	18 mm
Length A	35 mm

Logistics data

Article name	DK-CU-V 95/12
Article number	126070
Delivery scope	Compression cable lug
Country of origin	Poland
Customs tariff number	85369010
EAN/GTIN	4010311052519

Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	50
Base unit of measure	Piece	Piece
Lenght (mm)	80	145
Width (mm)	24	145
Height (mm)	17	97
Net weight (kg)	0.092	4.6
Gross weight (kg)	0.092	4.9