

Compression cable lug Cu

for low and medium voltage

Cable lug (hexagonally compressed) for copper conductors, suitable for indoor cable terminations.




Product description

Article name	DK-CU-V 185/16
Article number	126087
Notes	To be used with suitable crimping tool with DIN inserts

Applications

Cable lug recommended for copper conductors RM/SM (class 2) according to DIN EN 60228 (VDE 0295)

Technical data



Article name	DK-CU-V 185/16
Article number	126087
Test standards	DIN 46235
	IEC 61238
Materials	Copper tin-plated
Length L	82 mm
Width B	37 mm
Diameter D1	19 mm
Diameter D2	17 mm
Diameter D3	25.5 mm
Nominal cross section min	185 mm ²
Press die code K	25 mm
Length A	42 mm

Logistics data

Article name	DK-CU-V 185/16
Article number	126087
Delivery scope	Compression cable lug
Country of origin	Slovakia
Customs tariff number	85369010
EAN/GTIN	4010311052595

Packaging data

Alternative unit of measure	Bag1	Case
Base quantity	1	10
Base unit of measure	Piece	Piece
Length (mm)	98	140
Width (mm)	33	110
Height (mm)	25	60
Net weight (kg)	0.186	1.86
Gross weight (kg)	0.186	2.16