

Gel branch joint

with branch-off block

Universally applicable for branching all polymeric cables and conductors (e.g. N(A)YY, NYM, H05) cross section range from 6 mm² to 25 mm². Suitable for aluminium and copper conductors.



Product description

| | |
|----------------|---|
| Article name | EASYCELL 7 V |
| Article number | 371167 |
| Notes | Main cable must not be cut. |
| Copyright | EASYCELL is a registered trademark of BBC Cellpack GmbH |


Characteristics

| |
|--|
| Connector area completely sealed by gel |
| Re-accessible and ready for immediate operation |
| Multi range one-piece branch-off block |
| High-quality shockproof plastic shells, flame retardant and UV-resistant |
| Quick, safe and easy assembly |

Applications

| |
|---|
| Indoor (Laying in buildings and on cable racks) |
| Outdoor |
| Underground |
| Water (according to test standard) |

Technical data



| | |
|--|--------------------------|
| Article name | EASYCELL 7 V |
| Article number | 371167 |
| Voltage levels | U0/U (Um) 0,6/1 (1,2) kV |
| Test standards | EN 50393 |
| | EN 60695-2-11 |
| Housing type | 7 |
| Number of housing | 1 Pieces |
| Connector type | Branch-off block |
| Length L | 260 mm |
| Width B | 130 mm |
| Height H | 65 mm |
| Nominal cross section Main cable Polymeric cable unarmoured per conductor 3x min | 16 mm ² |
| Nominal cross section Main cable Polymeric cable unarmoured per conductor 3x max | 25 mm ² |
| Nominal cross section Branch cable Polymeric cable unarmoured per conductor 3x min | 2.5 mm ² |
| Nominal cross section Branch cable Polymeric cable unarmoured per conductor 3x max | 25 mm ² |
| Nominal cross section Main cable Polymeric cable unarmoured per conductor 4x min | 16 mm ² |
| Nominal cross section Main cable Polymeric cable unarmoured per conductor 4x max | 25 mm ² |
| Nominal cross section Branch cable Polymeric cable unarmoured per conductor 4x min | 2.5 mm ² |
| Nominal cross section Branch cable Polymeric cable unarmoured per conductor 4x max | 25 mm ² |
| Nominal cross section Main cable Polymeric cable unarmoured per conductor 5x min | 16 mm ² |
| Nominal cross section Main cable Polymeric cable unarmoured per conductor 5x max | 25 mm ² |
| Nominal cross section Branch cable Polymeric cable unarmoured per conductor 5x min | 2.5 mm ² |
| Nominal cross section Branch cable Polymeric cable unarmoured per conductor 5x max | 25 mm ² |

Logistics data

| | |
|------------------------|--------------------------|
| Article name | EASYCELL 7 V |
| Article number | 371167 |
| Delivery scope | Gel branch joint |
| | Branch-off block |
| | Cable ties |
| | Allen key |
| | Installation instruction |
| Shelf life description | Unlimited shelf life |
| Country of origin | Italy |
| Customs tariff number | 85369010 |
| EAN/GTIN | 4010311182018 |

Packaging data

| Packaging type | Case | Carton | Pal. OW |
|-------------------|-------|--------|---------|
| Content quantity | 1 | 15 | 270 |
| Unit of measure | Piece | Piece | Piece |
| Length (mm) | 277 | 410 | 1200 |
| Width (mm) | 137 | 380 | 800 |
| Height (mm) | 84 | 370 | 1300 |
| Net weight (kg) | 1.37 | 20.55 | 369.9 |
| Gross weight (kg) | 1.37 | 20.85 | 388.1 |