

Gel straight-through joint
with connection block

Universally suitable for connecting all polymeric cables and conductors (e.g. N(A)YY, NYM, H05), cross section range from 1.5 mm² to 25 mm². Suitable for aluminium and copper conductors.



Product description

| | |
|--------------------|------------------------------------------------------------------------------------------------------------|
| Article name | EASYCELL 2 V |
| Article number | 389676 |
| Optional accessory | EASYCELL® Strain relief, available for connecting joints from 6 mm² to 25 mm² (EASYCELL 4 V, EASYCELL 5 V) |
| Copyright | EASYCELL is a registered trademark of BBC Cellpack GmbH |


Characteristics

| |
|--------------------------------------------------------------------------|
| Connector area completely sealed by gel |
| Re-accessible and ready for immediate operation |
| Multi range one-piece connection block |
| High-quality shockproof plastic shells, flame retardant and UV-resistant |
| Quick, safe and easy assembly |

Applications

| |
|-------------------------------------------------|
| Indoor (Laying in buildings and on cable racks) |
| Outdoor |
| Underground |
| Water (according to test standard) |

Technical data



| | |
|-----------------------------------------------------------------------|--------------------------|
| Article name | EASYCELL 2 V |
| Article number | 389676 |
| Voltage levels | U0/U (Um) 0,6/1 (1,2) kV |
| Test standards | EN 50393 |
| | EN 60695-2-11 |
| Housing type | 2 |
| Number of housing | 1 Pieces |
| Connector type | Connection block |
| Length L | 86 mm |
| Width B | 47 mm |
| Heigth H | 27 mm |
| Nominal cross section Polymeric cable unarmoured per conductor 3x min | 1.5 mm ² |
| Nominal cross section Polymeric cable unarmoured per conductor 3x max | 2.5 mm ² |

Logistics data

| | |
|------------------------|----------------------------|
| Article name | EASYCELL 2 V |
| Article number | 389676 |
| Delivery scope | Gel straight-through joint |
| | Lustre terminal |
| | Cable ties |
| | Assembly instructions |
| Shelf life description | Unlimited shelf life |
| Country of origin | Italy |
| Customs tariff number | 85369010 |
| EAN/GTIN | 4010311186931 |

Packaging data

| Alternative unit of measure | Case | Carton | Pal. OW |
|-----------------------------|-------|--------|---------|
| Base quantity | 1 | 200 | 3600 |
| Base unit of measure | Piece | Piece | Piece |
| Lenght (mm) | 107 | 410 | 1200 |
| Width (mm) | 37 | 380 | 800 |
| Height (mm) | 57 | 370 | 1350 |
| Net weight (kg) | 0.08 | 16 | 288 |
| Gross weight (kg) | 0.08 | 16.3 | 306.2 |