

## Earthing set for cable joints type CHMSV3...

for connection of polymeric insulated cables with tape screen

EGA earthing set for cable joints CHMSV3 & CHMSV3-1 is suitable for connection of three core cables with copper or aluminum tape screen. Kit components: 3 copper braided tubes and 6 pressure springs.



### Product description

Article name	EGA 2
Article number	420577
Notes	The earthing set must be selected according to the nominal cross section of the selected joint.

#### Characteristics

Quick, safe and easy assembly  
Superior electrical properties  
High mechanical strength

#### Applications

Earthing continuity and earth bonding  
For cable joints type CHMSV3 & CHMSV3-1  
Enables solder-free electrical connection of metal cable components (screen, armouring, metal sheath)

## Technical data



Article name	EGA 2
Article number	420577
Length Copper braided tube	500 mm
Nominal cross section Copper braided tube	35 mm <sup>2</sup>
Pressure spring type	RF3
Nominal cross section 17,5 kV min	70 mm <sup>2</sup>
Nominal cross section 17,5 kV max	150 mm <sup>2</sup>
Nominal cross section 24 kV min	50 mm <sup>2</sup>
Nominal cross section 24 kV max	150 mm <sup>2</sup>
Nominal cross section 36 kV min	50 mm <sup>2</sup>
Nominal cross section 36 kV max	150 mm <sup>2</sup>

## Logistics data

Article name	EGA 2
Article number	420577
Delivery scope	1 Set for 3 phases: Copper braid tubes, pressure springs RF
Country of origin	Germany
Customs tariff number	74130000
EAN/GTIN	4010311191591

## Packaging data

Packaging type	Bag1
Content quantity	1
Unit of measure	Piece
Length (mm)	299
Width (mm)	187
Height (mm)	37
Net weight (kg)	0.681
Gross weight (kg)	0.681