

Earthing set for cable joints type CHMSV3...
for connection of polymeric insulated cables with tape screen

EGA earthing set for cable joints CHMSV3 & CHMSV3-1 is suitable for connection of three core cables with copper or aluminum tape screen. Kit components: 3 copper braided tubes and 6 pressure springs.




Product description

| | |
|----------------|---|
| Article name | EGA 4 |
| Article number | 420646 |
| Notes | The earthing set must be selected according to the nominal cross section of the selected joint. |

| |
|--------------------------------|
| Characteristics |
| Quick, safe and easy assembly |
| Superior electrical properties |
| High mechanical strength |

| |
|---|
| Applications |
| Earthing continuity and earth bonding |
| For cable joints type CHMSV3 & CHMSV3-1 |
| Enables solder-free electrical connection of metal cable components (screen, armouring, metal sheath) |

Technical data



| | |
|---|---------|
| Article name | EGA 4 |
| Article number | 420646 |
| Length Copper braided tube | 500 mm |
| Nominal cross section Copper braided tube | 35 mm² |
| Pressure spring type | RF4 |
| Nominal cross section 36 kV min | 95 mm² |
| Nominal cross section 36 kV max | 240 mm² |

Logistics data

| | |
|-----------------------|---|
| Article name | EGA 4 |
| Article number | 420646 |
| Delivery scope | 1 Set for 3 phases: Copper braid tubes, pressure springs RF |
| Country of origin | Germany |
| Customs tariff number | 85446010 |
| EAN/GTIN | 4010311191676 |

Packaging data

| | | |
|-----------------------------|-------|---------|
| Alternative unit of measure | Bag1 | Pal. OW |
| Base quantity | 1 | 40 |
| Base unit of measure | Piece | Piece |
| Lenght (mm) | 299 | 1200 |
| Width (mm) | 187 | 800 |
| Height (mm) | 37 | 1130 |
| Net weight (kg) | 0.741 | 29.64 |
| Gross weight (kg) | 0.741 | 47.84 |