

Earthing set for cable joints type CHMSV3...
for connection of polymeric insulated cables with tape screen

EGA earthing set for cable joints CHMSV3 & CHMSV3-1 is suitable for connection of three core cables with copper or aluminum tape screen. Kit components: 3 copper braided tubes and 6 pressure springs.




Product description

Article name	EGA 5
Article number	420647
Notes	The earthing set must be selected according to the nominal cross section of the selected joint.

Characteristics
Quick, safe and easy assembly
Superior electrical properties
High mechanical strength

Applications
Earthing continuity and earth bonding
For cable joints type CHMSV3 & CHMSV3-1
Enables solder-free electrical connection of metal cable components (screen, armouring, metal sheath)

Technical data



Article name	EGA 5
Article number	420647
Length Copper braided tube	600 mm
Nominal cross section Copper braided tube	35 mm²
Pressure spring type	RF4
Nominal cross section 12 kV min	240 mm²
Nominal cross section 12 kV max	400 mm²
Nominal cross section 17,5 kV min	240 mm²
Nominal cross section 17,5 kV max	400 mm²
Nominal cross section 24 kV min	240 mm²
Nominal cross section 24 kV max	400 mm²
Nominal cross section 36 kV min	240 mm²
Nominal cross section 36 kV max	400 mm²

Logistics data

Article name	EGA 5
Article number	420647
Delivery scope	1 Set for 3 phases: Copper braid tubes, pressure springs RF
Country of origin	Germany
Customs tariff number	85446010
EAN/GTIN	4010311191683

Packaging data

Alternative unit of measure	Bag1
Base quantity	1
Base unit of measure	Piece
Length (mm)	299
Width (mm)	187
Height (mm)	37
Net weight (kg)	0.831
Gross weight (kg)	0.831