

Protective agent

for protection of metals

The protective agent contains a combination of high quality active inhibitors ensuring longtime protection of metal contacts from abrasion and corrosion. Treated contacts are coated with a stable and superfine film that gives excellent lubricating and corrosion protection.



Product description

Article name	INDUSTRIE 3-36 Spray
Article number	124014

Characteristics

- Forms a clear, transparent film
- Lubricates and permeates

Applications

- Dissolves rust
- Release of tightly-sealed components
- Corrosion protection
- Protection of ferrous and non-ferrous metals during storage, processing, and transport
- Moisture protection

Technical data

Article name	INDUSTRIE 3-36 Spray
Article number	124014
Content	0.4 l
Colours	transparent color
Viscosity (40 °C)	30 cP
Flash point	105 °C
Density	0.81 g/cm ³
Dielectric strength	180 kV/mm

Logistics data

Article name	INDUSTRIE 3-36 Spray
Article number	124014
Delivery scope	Protective agent (Spray)
Shelf life	24 Month
Storage temperatur max	25 °C
Storage temperatur min	20 °C
Country of origin	France
Customs tariff number	34039900
EAN/GTIN	4010311049038

Packaging data

Alternative unit of measure	Tin	Carton	Pal. EU
Base quantity	1	12	900
Base unit of measure	Piece	Piece	Piece
Lenght (mm)	200	270	1200
Width (mm)	66	202	800
Height (mm)	66	203	1400
Net weight (kg)	0.422	5.064	379.8
Gross weight (kg)	0.422	5.364	408.8