

Plastic dowels

for cable ties

Plastic dowel with strong lamellae and stable head for perfect hold, halogen and silicone-free, for cable ties widths up to 9mm.



Product description

| | |
|----------------|-----------|
| Article name | MDKS 8/36 |
| Article number | 371611 |

| |
|--|
| Characteristics |
| With strong slats and a stable head for perfect hold |
| Resistant to alkaline earth elements |
| Resistant to mould and oil |
| Stabilized against UV rays |
| Resistant to dilute acids and alkalis |
| Halogen-free |
| Flame retardant |
| Silicone free |

| |
|--------------|
| Applications |
| Affixing |

Technical data

| | |
|----------------------------|---------------|
| Article name | MDKS 8/36 |
| Article number | 371611 |
| Materials | Polyamide 6.6 |
| Cable tie width max | 9 mm |
| Cable tie height max | 2.5 mm |
| Drilling | 6 mm |
| Length L | 36 mm |
| Height H | 6.3 mm |
| Diameter D | 8 mm |
| Flammability rating | UL 94 V2 |
| Mounting temperature min | -5 °C |
| Mounting temperature max | 40 °C |
| Operation temperature min. | -40 °C |
| Operation temperature max. | 85 °C |

Logistics data

| | |
|------------------------|---|
| Article name | MDKS 8/36 |
| Article number | 371611 |
| Delivery scope | 100 Cable tie-plastic dowels |
| Shelf life description | At 50 % relative humidity |
| | After opening the bag, must be used rapidly |
| Storage temperatur max | 23 °C |
| Country of origin | Italy |
| Customs tariff number | 39269097 |
| EAN/GTIN | 4010311182292 |

Packaging data

| | | | |
|-------------------|-------|--------|--------|
| Packaging type | Bag | Carton | Pallet |
| Content quantity | 100 | 4000 | 60000 |
| Unit of measure | Piece | Piece | Piece |
| Lenght (mm) | 225 | 410 | 1200 |
| Width (mm) | 160 | 310 | 800 |
| Height (mm) | 20 | 315 | 100 |
| Net weight (kg) | 0.1 | 4 | 60 |
| Gross weight (kg) | 0.105 | 4.3 | 78.2 |