

PVC insulation tape
self-extinguishing

Particularly weather-resistant PVC insulating tape with rubber-based adhesive component.



Product description

| | |
|----------------|---------------|
| Article name | No. 101 green |
| Article number | 418000 |

| |
|--|
| Characteristics |
| Flame retardant |
| Adaptable |
| Very good resistance to abrasion, corrosion and moisture |
| Superior ageing resistance |
| High dielectric constant |
| Superior mechanical properties |

| |
|--------------|
| Applications |
| Bundling |
| Reinforcing |
| Insulating |

Technical data

| | |
|---------------------------|---------------|
| Article name | No. 101 green |
| Article number | 418000 |
| Test standards | ASTM D 1000 |
| Materials | PVC |
| Length L | 20 m |
| Width B | 19 mm |
| Thickness | 0.15 mm |
| Colours | green |
| Adhesive strength | 1.8 N/cm |
| Elongation at break | 170 % |
| Tensile strength at break | 30 N/cm |
| Operation temperature min | -10 °C |
| Operation temperature max | 80 °C |
| Dielectric strength | 40 kV/mm |

Logistics data

| | |
|------------------------|---|
| Article name | No. 101 green |
| Article number | 418000 |
| Delivery scope | PVC insulation tape |
| Shelf life | 12 Month |
| Shelf life description | In unopened original packaging at 23 °C |
| Country of origin | Taiwan |
| Customs tariff number | 39191012 |
| EAN/GTIN | 4010311203034 |

Packaging data

| | | |
|-----------------------------|--------|---------|
| Alternative unit of measure | Carton | Pal. OW |
| Base quantity | 250 | 6000 |
| Base unit of measure | Piece | Piece |
| Lenght (mm) | 390 | 1200 |
| Width (mm) | 390 | 800 |
| Height (mm) | 220 | 1020 |
| Net weight (kg) | 20 | 480 |
| Gross weight (kg) | 20.4 | 485 |