

PVC insulation tape
self-extinguishing

PVC insulation tape with flame-retardant and cold-resistant adhesive for electrical and telecommunications applications.



Product description

Article name	No. 2133 black
Article number	442063

Characteristics

- Excellent adherence to a wide range of substances
- Very good resistance to abrasion, corrosion and moisture
- Stabilized against UV rays

Applications

- Sealing
- Padding of cable insulation
- Bundling
- Reinforcing
- Insulating

Technical data

Article name	No. 2133 black
Article number	442063
Test standards	IMQ-Certification
Materials	PVC
Length L	20 m
Width B	19 mm
Thickness	0.15 mm
Colours	black
Adhesive strength	1.8 N/cm
Elongation at break	100 %
Tensile strength at break	28 N/cm
Operation temperature min	-10 °C
Operation temperature max	90 °C
Dielectric strength	9 kV/mm

Logistics data

Article name	No. 2133 black
Article number	442063
Delivery scope	PVC insulation tape
Country of origin	Taiwan
Customs tariff number	39191012
EAN/GTIN	4010311203416

Packaging data

Alternative unit of measure	Carton	Pallet	Pal. OW
Base quantity	120	7200	10560
Base unit of measure	Piece	Piece	Piece
Length (mm)	305	1200	1200
Width (mm)	231	1000	730
Height (mm)	222	1480	1742
Net weight (kg)	11.88	712.8	1045.44
Gross weight (kg)	12.18	731	1063.64