

PVC insulation tape
self-extinguishing

PVC insulation tape with flame-retardant and cold-resistant adhesive for electrical and telecommunications applications.



Product description

Article name	No. 2133 red
Article number	442068

Characteristics	Applications
Excellent adherence to a wide range of substances	Sealing
Very good resistance to abrasion, corrosion and moisture	Padding of cable insulation
Stabilized against UV rays	Bundling
	Reinforcing
	Insulating

Technical data

Article name	No. 2133 red
Article number	442068
Test standards	IMQ-Certification
Materials	PVC
Length L	25 m
Width B	19 mm
Thickness	0.13 mm
Colours	red
Adhesive property	1.8 N/cm
Elongation at break	100 %
Tensile strength at break	28 N/cm
Operation temperature min.	-10 °C
Operation temperature max.	90 °C
Dielectric strength	9 kV/mm

Logistics data

Article name	No. 2133 red
Article number	442068
Delivery scope	PVC insulation tape
Country of origin	Taiwan
Customs tariff number	39191012
EAN/GTIN	4010311203522

Packaging data

Packaging type	Carton	Pal. OW
Content quantity	120	9240
Unit of measure	Piece	Piece
Lenght (mm)	316	1230
Width (mm)	240	750
Height (mm)	222	1742
Net weight (kg)	13.2	1016.4
Gross weight (kg)	13.5	1034.6