

PVC insulation tape
self-extinguishing

PVC insulation tape with flame-retardant and cold-resistant adhesive for electrical and telecommunications applications.



Product description

Article name	No. 2133 white
Article number	442079

Characteristics	Applications
Excellent adherence to a wide range of substances	Sealing
Very good resistance to abrasion, corrosion and moisture	Padding of cable insulation
Stabilized against UV rays	Bundling
	Reinforcing
	Insulating

Technical data

Article name	No. 2133 white
Article number	442079
Test standards	IMQ-Certification
Materials	PVC
Length L	20 m
Width B	19 mm
Thickness	0.13 mm
Colours	white
Adhesive strength	1.8 N/cm
Elongation at break	100 %
Tensile strength at break	28 N/cm
Operation temperature min	-10 °C
Operation temperature max	90 °C
Dielectric strength	9 kV/mm

Logistics data

Article name	No. 2133 white
Article number	442079
Delivery scope	PVC insulation tape
Country of origin	Taiwan
Customs tariff number	39191012
EAN/GTIN	4010311203362

Packaging data

Alternative unit of measure	Carton	Pallet	Pal. OW
Base quantity	120	7200	9240
Base unit of measure	Piece	Piece	Piece
Length (mm)	293	1200	1140
Width (mm)	223	1000	700
Height (mm)	222	1480	1742
Net weight (kg)	10.8	648	831.6
Gross weight (kg)	12.5	666.2	849.8