

## Warning tape

for warning of cable presence in case of excavation work

Great warning effect due to more than 400% stretching, colourfast, resistant to ageing and cold, remains stretchable unchanged, permanently legible due to crystal-clear film coating over the print.



## Product description

|                |  |
|----------------|--|
| Article name   | No. 26 LWL-Cable   |
| Article number | 469008   |
| Notes          | Optimal position 40 cm above the feeder<br>Other types available on request. |

|   |
|---|
| Characteristics   |
| Printing protected by transparent film  |
| Durable, elasticity retained at low temperatures  |
| Colour-fast, luminescent  |
| Increases the effectiveness of the warning prior to tearing due to 400 % stretchability |

|   |
|---|
| Applications  |
| Warning about the cables located in the ground (in case of excavation work) |

## Technical data

|                  |                             |
|------------------|-----------------------------|
| Article name     | No. 26 LWL-Cable            |
| Article number   | 469008                      |
| Materials        | Polyethylene laminated foil |
| Imprint Language | Achtung LWL-Kabel           |
| Length L         | 250 m                       |
| Width B          | 40 mm                       |
| Thickness        | 0.15 mm                     |
| Colours          | yellow                      |

## Logistics data

|                       |  |
|-----------------------|--|
| Article name          | No. 26 LWL-Cable   |
| Article number        | 469008   |
| Delivery scope        | Warning tape (Tapes and imprints are available in various colours) |
| Country of origin     | Germany  |
| Customs tariff number | 39211900   |
| EAN/GTIN              | 4010311203904  |

## Packaging data

| Packaging type    | Roll  | Carton | Pal. OW |
|-------------------|-------|--------|---------|
| Content quantity  | 1     | 10     | 180     |
| Unit of measure   | Piece | Piece  | Piece   |
| Length (mm)       | 227   | 470    | 1200    |
| Width (mm)        | 227   | 285    | 800     |
| Height (mm)       | 45    | 295    | 1130    |
| Net weight (kg)   | 2.193 | 21.93  | 394.74  |
| Gross weight (kg) | 2.193 | 22.23  | 412.94  |