

Cross-section reducing
for joints

Kit for reducing the cross-section for medium voltage
mass-impregnated paper cables.



Product description

Article name	PS (3PB+PB) 150-300
Article number	197702

Characteristics
Quick, safe and easy assembly
Ready for immediate operation

Applications
Indoor
Outdoor
Underground
Ductwork
Installation ducts

Technical data

Article name	PS (3PB+PB) 150-300
Article number	197702
Selection Note	U0/U (Um) 18/30 (36) kV - 19/33 (36) kV
Applicable for	CHMP(3Pb)3, CHMP(3Pb)3-1
Diameter over core insulation after removal of the outer conductive layer min	27.3 mm
Nominal cross section 36 kV min	150 mm ²
Nominal cross section 36 kV max	300 mm ²
Nominal cross section paper insulated cable min	35 mm ²
Nominal cross section paper insulated cable max	70 mm ²

Logistics data

Article name	PS (3PB+PB) 150-300
Article number	197702
Delivery scope	Heat shrinkable tubes
	Oil barrier tubing
	Mastic tape
Country of origin	Germany
Customs tariff number	39269097
EAN/GTIN	4010311052373

Packaging data

Alternative unit of measure	Bag1
Base quantity	1
Base unit of measure	Piece
Length (mm)	235
Width (mm)	170
Height (mm)	60
Net weight (kg)	0.285
Gross weight (kg)	0.286