

High temperature silicone protection tube  
for insulating up to 200 °C

Cold Shrink Silicone Insulators are made of highly elastic Silicone rubber and is used both for the electrical insulation of polymeric or rubber-insulated cables up to 1 kV and for the protection and sealing of non-electrical applications. It also reliably protects connections between cables with different diameters.



Product description

|                |          |
|----------------|----------|
| Article name   | CSS 8 mm |
| Article number | 258337   |

|                       |
|-----------------------|
| Characteristics       |
| Thermal class H       |
| Structure: Fabricless |

|                         |
|-------------------------|
| Applications            |
| Insulating              |
| Bundling                |
| Protection against heat |

## Technical data

|                                 |                 |
|---------------------------------|-----------------|
| Article name                    | CSS 8 mm        |
| Article number                  | 258337          |
| Materials                       | Silicone-rubber |
| Length L                        | 8 m             |
| Diameter D                      | 8 mm            |
| Hardness                        | 60 Shore A      |
| Flexibility at low temperatures | -60 °C          |
| Heat resistance max             | 200 °C          |

## Logistics data

|                       |                                |
|-----------------------|--------------------------------|
| Article name          | CSS 8 mm                       |
| Article number        | 258337                         |
| Delivery scope        | Silicone tube in dispenser box |
| Country of origin     | Germany                        |
| Customs tariff number | 40091100                       |
| EAN/GTIN              | 4010311139937                  |

## Packaging data

|                             |       |
|-----------------------------|-------|
| Alternative unit of measure | Case  |
| Base quantity               | 1     |
| Base unit of measure        | Piece |
| Length (mm)                 | 167   |
| Width (mm)                  | 163   |
| Height (mm)                 | 55    |
| Net weight (kg)             | 0.211 |
| Gross weight (kg)           | 0.211 |