

3-core outdoor cable termination

for armoured 3-core polymeric cables up to 7.2 kV

Cable terminations SEEV-F for outdoor applications are suitable to cover armoured 3-core polymeric cables (PVC, PE, XLPE, EPR) without semi-conductive layer. Suitable for compression or screw cable lugs.




Product description

Article name	SEEV-F 150-240
Article number	148153
Optional accessory	Cable lugs (see Connecting technology)

Characteristics
Compact dimensions
Wide conductor and cross-section range
High mechanical strength
Quick, safe and easy assembly

Applications
Outdoor

## Technical data



Article name	SEEV-F 150-240
Article number	148153
Voltage levels	U0/U (Um) 3,6/6 (7,2) kV - 3,8/6,6 (7,2) kV
Length L	400 mm
Diameter shed	85 mm
Nominal cross section Polymeric cable armoured min	150 mm <sup>2</sup>
Nominal cross section Polymeric cable armoured max	240 mm <sup>2</sup>

## Logistics data

Article name	SEEV-F 150-240
Article number	148153
Delivery scope	Core insulating tubes (tracking resistant)
	Spreader cap (tracking resistant)
	Filling tape
	Silicone sheds
	Earthing accessories
	Sealing tape
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311042985

## Packaging data

Packaging type	Bag1
Content quantity	1
Unit of measure	Piece
Length (mm)	450
Width (mm)	140
Height (mm)	115
Net weight (kg)	1.145
Gross weight (kg)	1.145