

## Krimpkap

met thermoplastische lijm

Krimpkappen eindkappen SKH met lijm voor druk- en vochtbescherming voor kabels, leidingen en buizen van 5 - 105 mm diameter.



## Produktbeschrijving

Artikelbeschrijving	SKH 75-30
Artikelnummer	125337
Notities	Afmeting na vrije krimp


### Eigenschappen

Bestand tegen chemische invloeden
Bestand tegen UV-stralen
Vrij van oplosmiddelen Eigenschappen
Halogeenvrij
Zeer goede elektrische eigenschappen
Druk dicht
Goede mechanische sterkte
100% vochtbestendig

### Toepassing

Druk- en vochtbescherming voor kabels, leidingen en buizen
--

## Technische gegevens



Artikelbeschrijving	SKH 75-30
Artikelnummer	125337
Testrapporten	IEC 62677-3-101
Materialen	Gemodificeerde polyolefin Lood- en cadmiumvrij
Selectie Opmerking	met lijm
Lengte L1	181 mm
Lengte L1*	148 mm
Kleuren	zwart
Inner diameter before shrinking (mm)	75 mm
Inner diameter after shrinking (mm)	30 mm
Recovered wall thickness	4.4 mm
Elongation at break	300 %
Elongation at break (associated standard)	IEC 62677-3-101
Tensile strength at break	10 MPa
Tensile strength at break (associated standard)	IEC 62677-3-101
Operating temperature range min	-40 °C
Operating temperature range max	100 °C
Operating temperature range (associated standard)	IEC 62677-3-101
Shrinkage temperature	> 110 °C
Burning behaviour	niet zelfdovend
Burning behaviour (associated standard)	IEC 62677-3-101
Flexibility at low temperatures	-40 °C
Flexibility at low temperatures (associated standard)	IEC 62677-3-101
Thermal ageing (168 h at 150 °C): Elongation at break	200 %
Thermal ageing (168 h bei 150 °C): Tensile strength at break	8 MPa
Thermal ageing (168 h bei 150 °C) (associated standard)	IEC 62677-3-101
Specific volume resistivity	10 <sup>14</sup> Ω cm
Specific volume resistivity (associated standard)	IEC 62677-3-101
Dielectric strength	10 kV/mm

Dielectric strength (associated standard)	IEC 60243-1
Corrosion	geen
Corrosion (associated standard)	IEC 62677-3-101
Resistance to fungus and decay	Tarief 1
Resistance to fungus and decay (associated standard)	ISO 846

## Logistieke gegevens

Artikelbeschrijving	SKH 75-30
Artikelnummer	125337
Levering	Warmtekrimp-eindkap
Duurzaamheid aanvullende teksten	Onbeperkt houdbaar
Douanetariefnummer	39174000
EAN/GTIN	4010311020754

## Verpakkingsgegevens

Alternatieve maateenheid	Zak	Karton
Basishoeveelheid	5	90
Basis maateenheid	Stuk	Stuk
Lengte (mm)	410	585
Breedte (mm)	82	390
Hoogte (mm)	165	495
Netto gewicht (kg)	0.345	6.21
Bruto gewicht (kg)	0.35	6.51