


Heat shrinkable end cap  
with adhesive

Heat shrinkable end caps SKH with adhesive for protection against humidity and pressure for cables, conductors and pipes with a diameter of 5 - 105 mm.



Product description

Article name	SKH 15-5
Article number	125351
Notes	Recovered dimension after shrinking


Characteristics

Resistant to chemical agents
Stabilized against UV rays
Free from paint-wetting inhibiting substances
Halogen-free
Superior electrical properties
Pressure-tight
High mechanical strength
100 % waterproof

Applications

Protection against moisture and pressure for cables, conductors and pipes
---

## Technical data



Article name	SKH 15-5
Article number	125351
Test standards	IEC 62677-3-101
Materials	Cross-linked polyolefin Free of lead and cadmium
Selection Note	with adhesive
Length L1	47 mm
Length L1*	43 mm
Colours	black
Inner diameter before shrinking (mm)	15 mm
Inner diameter after shrinking (mm)	5 mm
Recovered wall thickness	2.2 mm
Elongation at break	300 %
Elongation at break (associated standard)	IEC 62677-3-101
Tensile strength at break	10 MPa
Tensile strength at break (associated standard)	IEC 62677-3-101
Operating temperature range min	-40 °C
Operating temperature range max	100 °C
Operating temperature range (associated standard)	IEC 62677-3-101
Shrinkage temperature	> 110 °C
Burning behaviour	not self-extinguishing
Burning behaviour (associated standard)	IEC 62677-3-101
Flexibility at low temperatures	-40 °C
Flexibility at low temperatures (associated standard)	IEC 62677-3-101
Thermal ageing (168 h at 150 °C): Elongation at break	200 %
Thermal ageing (168 h bei 150 °C): Tensile strength at break	8 MPa
Thermal ageing (168 h bei 150 °C) (associated standard)	IEC 62677-3-101
Specific volume resistivity	10 <sup>14</sup> Ω cm
Specific volume resistivity (associated standard)	IEC 62677-3-101
Dielectric strength	10 kV/mm

Dielectric strength (associated standard)	IEC 60243-1
Corrosion	none
Corrosion (associated standard)	IEC 62677-3-101
Resistance to fungus and decay	Rate 1
Resistance to fungus and decay (associated standard)	ISO 846

## Logistics data

Article name	SKH 15-5
Article number	125351
Delivery scope	Heat shrinkable end cap
Shelf life description	Unlimited shelf life
Country of origin	China
Customs tariff number	39174000
EAN/GTIN	4010311020716

## Packaging data

Alternative unit of measure	Bag	Carton
Base quantity	20	3600
Base unit of measure	Piece	Piece
Lenght (mm)	475	400
Width (mm)	90	400
Height (mm)	38	420
Net weight (kg)	0.06	10.8
Gross weight (kg)	0.065	11.1