

## Heat shrinkable straight-through joint

for telecommunication cables

For connecting or branching telecommunication cables insulated with PVC or PE (e.g. A-2YF(L)2Y, A-02YSF(L)2Y, A-PWE2Y, A-PM, A-PM2Y, A-PMbc). Suitable for wire connectors.




### Product description

Article name	SMHF 93-25/400
Article number	145572
Optional accessory	Assembly kit MSFA (required for each branch) Wire connectors AVS (see Connecting technology)

Characteristics
Compact dimensions
Suitable for cut and uncut cables
Removable (for repairs or switch-over)
Resistant to chemical agents
Resistant to alkaline earth elements
Stabilized against UV rays
Free from paint-wetting inhibiting substances
Halogen-free
Waterproof and moisture-resistant

Applications
Indoor areas (also with high humidity levels)
Outdoor
Underground
Water
Installation ducts
Ductwork

Technical data



Article name	SMHF 93-25/400
Article number	145572
Length L1	400 mm
Diameter D1 over protective liner	93 mm
Diameter cable min	25 mm
Diameter cable max	68 mm
Telecommunication cable spliced with wire connector Number of wire pairs 0,4 mm max	150 Pieces
Telecommunication cable spliced with wire connector Number of wire pairs 0,6 mm max	100 Pieces
Telecommunication cable spliced with wire connector Number of wire pairs 0,8 mm max	70 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,4 mm max	400 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,6 mm max	250 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,8 mm max	100 Pieces

### Logistics data

Article name	SMHF 93-25/400
Article number	145572
Delivery scope	Heat shrinkable sleeve
	Flexible locking bar
	Protective liner
	Drying agent
	Shield continuity wire with clamps
	Fire protection film
	PVC insulation tape
	Cleaning tissue
	Emery cloth
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311005447

### Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	20
Base unit of measure	Piece	Piece
Length (mm)	438	595
Width (mm)	222	395
Height (mm)	70	330
Net weight (kg)	0.55	11
Gross weight (kg)	0.55	11.3