

Spacer plate

usable as spacer in cast-resin straight-through joints

Spacer plate for maintaining of conductor spacing in M/M-Euroline cast-resin straight-through joints.



Product description

| | |
|----------------|--------|
| Article name | DP 2.5 |
| Article number | 128753 |

Applications

Maintaining of conductor spacing in cast-resin straight-through joints

Technical data

| | |
|----------------|--------|
| Article name | DP 2.5 |
| Article number | 128753 |
| Length L | 90 mm |
| Width B | 48 mm |
| Thickness | 5 mm |

Logistics data

| | |
|-----------------------|--------------------|
| Article name | DP 2.5 |
| Article number | 128753 |
| Delivery scope | Spacer plate DP2.5 |
| Country of origin | Germany |
| Customs tariff number | 39269097 |
| EAN/GTIN | 4010311156415 |

Packaging data

| | | | |
|-----------------------------|-------|--------|---------|
| Alternative unit of measure | Bag1 | Carton | Pal. OW |
| Base quantity | 1 | 1000 | 12000 |
| Base unit of measure | Piece | Piece | Piece |
| Length (mm) | 84 | 590 | 1200 |
| Width (mm) | 46 | 370 | 800 |
| Height (mm) | 5 | 362 | 1200 |
| Net weight (kg) | 0.012 | 12 | 144 |
| Gross weight (kg) | 0.012 | 12.3 | 162.2 |