

## Screw connector for Cu and Al

longitudinally sealed with separator, with shear head bolts

For connecting various conductor types and materials,  
ideal for connecting identical and different conductor  
cross-sections.



### Product description

|                |             |
|----------------|-------------|
| Article name   | SV-V-AS 800 |
| Article number | 331292      |

## Technical data

|                              |                     |
|------------------------------|---------------------|
| Article name                 | SV-V-AS 800         |
| Article number               | 331292              |
| Nominal cross section RM min | 800 mm <sup>2</sup> |
| Nominal cross section RM max | 800 mm <sup>2</sup> |

## Logistics data

|                       |               |
|-----------------------|---------------|
| Article name          | SV-V-AS 800   |
| Article number        | 331292        |
| Country of origin     | Germany       |
| Customs tariff number | 85369010      |
| EAN/GTIN              | 4010311162843 |

## Packaging data

| Alternative unit of measure | Bag1  | Carton |
|-----------------------------|-------|--------|
| Base quantity               | 1     | 2      |
| Base unit of measure        | Piece | Piece  |
| Lenght (mm)                 | 220   | 310    |
| Width (mm)                  | 55    | 160    |
| Height (mm)                 | 75    | 100    |
| Net weight (kg)             | 1.53  | 3.06   |
| Gross weight (kg)           | 1.53  | 3.36   |