


Heat shrink torch kit

for installation of heat shrinkable products

Heat shrink torch kit specifically for assembling heat shrink products, includes various shrink torches and components (see scope of delivery).



Product description

Article name	CPB Pressure controller DIN/Combo 21.8-14 LH x R 3/8 LH
Article number	123960
Notes	Warning: Liquid gas is heavier than air. Strictly adhere to safety instructions provided with heat shrink torch kit.
	Individual components may also be ordered separately.
	The date of manufacture is printed on each propane hose. However, there are no legal regulations for the shelf life.
	All refillable gas cylinders have a manufacturing date in the base of the gas cylinder. A recurring type test is mandatory after 10 years.

Characteristics
User-friendly rotating tube connector
Gas supply shuts off automatically if burner head is not installed
Minimal risk of overheating
Flame extinguishes immediately upon releasing push button
Continuously adjustable flame
Bayonet fitting facilitates substitution of burner head
Quick-starting piezo ignition

Applications
Suitable for heat shrinkable tubes
Shrinking of heat shrinkable polyolefine products (caps, sleeves etc.)

Technical data

Article name	CPB Pressure controller DIN/Combo 21.8-14 LH x R 3/8 LH
Article number	123960

Logistics data

Article name	CPB Pressure controller DIN/Combo 21.8-14 LH x R 3/8 LH
Article number	123960
Delivery scope	Pressure controller DIN/Combo 21.8-14 LH x R 3/8 LH
Shelf life description	Unlimited shelf life
Country of origin	Estonia
Customs tariff number	84818059
EAN/GTIN	4010311011356

Packaging data

Packaging type	Chest
Content quantity	1
Unit of measure	Piece
Length (mm)	173
Width (mm)	79
Height (mm)	45
Net weight (kg)	0.414
Gross weight (kg)	0.414