

Trifurcation kit for CHE, CHESK and CTS, CTKS

for 3-core polymeric cables up to 36 kV

The trifurcation kit allows the installation of products designed for 1-core-cable on 3-core-cable, suitable for different cable types.



Product description

Article name	AS-1/CHE/CHESK
Article number	253931

Characteristics
Quick, safe and easy assembly
Superior electrical properties
High mechanical strength

Applications
Indoor/Outdoor
Protection against dust and moisture

Technical data

Article name	AS-1/CHE/CHESK
Article number	253931
Voltage levels	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Applicable for	CHESK-I 12 kV
Nominal cross section 12 kV min	25 mm ²
Nominal cross section 12 kV max	95 mm ²
Diameter over core insulation after removal of the outer conductive layer min	12.6 mm
Applicable for	CHESK-F 12 kV
Nominal cross section 12 kV min	70 mm ²
Nominal cross section 12 kV max	150 mm ²
Diameter over core insulation after removal of the outer conductive layer min	17.3 mm
Applicable for	CHE-I 12 kV
Nominal cross section 12 kV min	10 mm ²
Nominal cross section 12 kV max	25 mm ²
Diameter over core insulation after removal of the outer conductive layer min	9.9 mm
Applicable for	CHE-F 12 kV
Nominal cross section 12 kV min	25 mm ²
Nominal cross section 12 kV max	95 mm ²
Diameter over core insulation after removal of the outer conductive layer min	12.6 mm
Applicable for	CHE-I, CHE-F 24 kV
Nominal cross section 24 kV min	10 mm ²
Nominal cross section 24 kV max	35 mm ²
Diameter over core insulation after removal of the outer conductive layer min	12.6 mm

Logistics data

Article name	AS-1/CHE/CHESK
Article number	253931
Delivery scope	Heat shrinkable tubes
	Spreader cap
	Mastic tape
	Copper braid tube
	Screw cable lug
	Assembly material
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311136417

Packaging data

Alternative unit of measure	Bag1
Base quantity	1
Base unit of measure	Piece
Length (mm)	1081
Width (mm)	283
Height (mm)	115
Net weight (kg)	1.194
Gross weight (kg)	1.194