

Kit d'épandage pour CHE, CHESK et CTS, CTKS
pour câbles tripolaires à isolation synthétique jusqu'à 36 kV

Le kit d'épandage permet l'installation de produits conçus pour un câble unipolaires sur câbles tripolaires, adapté à différents types de câbles.



Description du produit

| | |
|------------------|----------------|
| Nom de l'article | AS-1/CHE/CHESK |
| Numéro d'article | 253931 |

| |
|------------------------------------|
| Caractéristiques |
| Montage rapide, simple et sûr |
| Très bonnes propriétés électriques |
| Haute tenue mécanique |

| |
|--|
| Application |
| Intérieur/Extérieur |
| Protection contre la poussière et l'humidité |

Données techniques

| | |
|---|--|
| Nom de l'article | AS-1/CHE/CHESK |
| Numéro d'article | 253931 |
| Niveau de tension | U0/U (Um) 6/10 (12) kV - 19/33 (36) kV |
| Applicable for | CHESK-I 12 kV |
| Nominal cross section 12 kV min | 25 mm ² |
| Nominal cross section 12 kV max | 95 mm ² |
| Diameter over core insulation after removal of the outer conductive layer min | 12.6 mm |
| Applicable for | CHESK-F 12 kV |
| Nominal cross section 12 kV min | 70 mm ² |
| Nominal cross section 12 kV max | 150 mm ² |
| Diameter over core insulation after removal of the outer conductive layer min | 17.3 mm |
| Applicable for | CHE-I 12 kV |
| Nominal cross section 12 kV min | 10 mm ² |
| Nominal cross section 12 kV max | 25 mm ² |
| Diameter over core insulation after removal of the outer conductive layer min | 9.9 mm |
| Applicable for | CHE-F 12 kV |
| Nominal cross section 12 kV min | 25 mm ² |
| Nominal cross section 12 kV max | 95 mm ² |
| Diameter over core insulation after removal of the outer conductive layer min | 12.6 mm |
| Applicable for | CHE-I, CHE-F 24 kV |
| Nominal cross section 24 kV min | 10 mm ² |
| Nominal cross section 24 kV max | 35 mm ² |
| Diameter over core insulation after removal of the outer conductive layer min | 12.6 mm |

Données logistiques

| | |
|-------------------------------------|-----------------------------|
| Nom de l'article | AS-1/CHE/CHESK |
| Numéro d'article | 253931 |
| Volume de livraison | Gaines thermorétractables |
| | Extrémité |
| | Mastic d'étanchéité adhésif |
| | Tresse tubulaire de cuivre |
| | Cosse à visser |
| | Matériel de montage |
| | Instructions de montage |
| Conservation textes supplémentaires | Stockage illimité |
| Pays d'origine | Allemagne |
| Numéro de tarif douanier | 39173900 |
| EAN/GTIN | 4010311136417 |

Données d'emballage

| | |
|-----------------------------|---------|
| Alternative unité de mesure | Sachet1 |
| Quantité de base | 1 |
| Base unité de mesure | Pièce |
| Longueur (mm) | 1081 |
| Largeur (mm) | 283 |
| Hauteur (mm) | 115 |
| Poids net (kg) | 1.194 |
| Poids brut (kg) | 1.194 |