

Verdeelset voor CHE, CHESK en CTS, CTKS

voor 3-aderige kabel tot 36 kV

De trifurcatiekit maakt de installatie mogelijk van producten die zijn ontworpen voor 1-aderige kabel op 3-aderige kabel, geschikt voor verschillende kabeltypes.



Produktbeschrijving

Artikelbeschrijving	AS-1/CHE/CHESK
Artikelnummer	253931

Eigenschappen

Makkelijke en snelle montage
Zeer goede elektrische eigenschappen
Grote mechanische sterkte

Toepassing

Binnen/Buiten
Becherming tegen stof en vocht

Technische gegevens

Artikelbeschrijving	AS-1/CHE/CHESK
Artikelnummer	253931
Spanningsniveaus	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Applicable for	CHESK-I 12 kV
Nominal cross section 12 kV min	25 mm ²
Nominal cross section 12 kV max	95 mm ²
Diameter over core insulation after removal of the outer conductive layer min	12.6 mm
Applicable for	CHESK-F 12 kV
Nominal cross section 12 kV min	70 mm ²
Nominal cross section 12 kV max	150 mm ²
Diameter over core insulation after removal of the outer conductive layer min	17.3 mm
Applicable for	CHE-I 12 kV
Nominal cross section 12 kV min	10 mm ²
Nominal cross section 12 kV max	25 mm ²
Diameter over core insulation after removal of the outer conductive layer min	9.9 mm
Applicable for	CHE-F 12 kV
Nominal cross section 12 kV min	25 mm ²
Nominal cross section 12 kV max	95 mm ²
Diameter over core insulation after removal of the outer conductive layer min	12.6 mm
Applicable for	CHE-I, CHE-F 24 kV
Nominal cross section 24 kV min	10 mm ²
Nominal cross section 24 kV max	35 mm ²
Diameter over core insulation after removal of the outer conductive layer min	12.6 mm

Logistieke gegevens

Artikelbeschrijving	AS-1/CHE/CHESK
Artikelnummer	253931
Levering	Warmtekrimpbuizen
	Verdeelkap
	Hechtkit
	Kopergaasslang, koperen vlechtwerkbuis
	Schroefkabelschoen
	Klein montagemateriaal
	Montagehandleiding
Duurzaamheid aanvullende teksten	Onbeperkt houdbaar
Land van oorsprong	Duitsland
Douanetariefnummer	39173900
EAN/GTIN	4010311136417

Verpakkingsgegevens

Alternatieve maateenheid	Zak1
Basishoeveelheid	1
Basis maateenheid	Stuk
Lengte (mm)	1081
Breedte (mm)	283
Hoogte (mm)	115
Netto gewicht (kg)	1.194
Bruto gewicht (kg)	1.194