


Trifurcation kit for CHE, CHESK and CTS, CTKS
for 3-core polymeric cables up to 36 kV

The trifurcation kit allows the installation of products designed for 1-core-cable on 3-core-cable, suitable for different cable types.



Product description

Article name	AS-1/CTS/CTKS
Article number	354194

Characteristics
Quick, safe and easy assembly
Superior electrical properties
High mechanical strength

Applications
Indoor/Outdoor
Protection against dust and moisture

Technical data

Article name	AS-1/CTS/CTKS
Article number	354194
Voltage levels	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Applicable for	CTS/CTKS
Nominal cross section 12 kV min	16 mm ²
Nominal cross section 12 kV max	150 mm ²
Nominal cross section 17,5 kV min	16 mm ²
Nominal cross section 17,5 kV max	120 mm ²
Nominal cross section 24 kV min	10 mm ²
Nominal cross section 24 kV max	95 mm ²
Nominal cross section 36 kV min	10 mm ²
Nominal cross section 36 kV max	50 mm ²

Logistics data

Article name	AS-1/CTS/CTKS
Article number	354194
Delivery scope	Heat shrinkable tubes
	Spreader cap
	Mastic tape
	Copper braid tube
	Assembly material
	Installation instruction
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311171357

Packaging data

Packaging type	Bag1	Pal. OW
Content quantity	1	10
Unit of measure	Piece	Piece
Length (mm)	1106	1200
Width (mm)	213	800
Height (mm)	97	1130
Net weight (kg)	0.642	6.42
Gross weight (kg)	0.642	24.62