


Trifurcation kit for CHE, CHESK and CTS, CTKS  
for 3-core polymeric cables up to 36 kV

The trifurcation kit allows the installation of products designed for 1-core-cable on 3-core-cable, suitable for different cable types.



Product description

Article name	AS-2/CTS/CTKS
Article number	354196

Characteristics
Quick, safe and easy assembly
Superior electrical properties
High mechanical strength

Applications
Indoor/Outdoor
Protection against dust and moisture

## Technical data

Article name	AS-2/CTS/CTKS
Article number	354196
Voltage levels	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Applicable for	CTS, CTKS 630 A 24 kV
Nominal cross section 12 kV min	150 mm <sup>2</sup>
Nominal cross section 12 kV max	240 mm <sup>2</sup>
Nominal cross section 24 kV min	95 mm <sup>2</sup>
Nominal cross section 24 kV max	240 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	22 mm
Applicable for	CTS, CTKS 630 A 24 kV
Nominal cross section 12 kV min	240 mm <sup>2</sup>
Nominal cross section 12 kV max	300 mm <sup>2</sup>
Nominal cross section 24 kV min	240 mm <sup>2</sup>
Nominal cross section 24 kV max	300 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	23.7 mm
Applicable for	CTS, CTKS 630 A 36 kV
Nominal cross section 24 kV min	95 mm <sup>2</sup>
Nominal cross section 24 kV max	240 mm <sup>2</sup>
Nominal cross section 36 kV min	50 mm <sup>2</sup>
Nominal cross section 36 kV max	150 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	22 mm
Applicable for	CTS, CTKS 630 A 36 kV
Nominal cross section 24 kV min	240 mm <sup>2</sup>
Nominal cross section 24 kV max	240 mm <sup>2</sup>
Nominal cross section 36 kV min	150 mm <sup>2</sup>
Nominal cross section 36 kV max	240 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	30.8 mm

## Logistics data

Article name	AS-2/CTS/CTKS
Article number	354196
Delivery scope	Heat shrinkable tubes
	Spreader cap
	Mastic tape
	Copper braid tube
	Assembly material
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311171364

## Packaging data

Packaging type	Bag1
Content quantity	1
Unit of measure	Piece
Lenght (mm)	1096
Width (mm)	180
Height (mm)	117
Net weight (kg)	0.821
Gross weight (kg)	0.821