

## Kit de trifurcación para CHE, CHESK y CTS, CTKS

para cables tripolares hasta 36 kV

El kit de trifurcación permite la instalación de productos diseñados para cables unipolares a cables tripolares, adecuado para diferentes tipos de cable.



### Descripción de producto

Denominación del artículo	AS-2/CTS/CTKS
Número de artículo	354196

Propiedades
Montaje rápido, fácil y seguro
Muy buenas propiedades eléctricas
Alta resistencia mecánica

Aplicaciones
Interior/Exterior
Protección contra el polvo y la humedad

## Datos técnicos

Denominación del artículo	AS-2/CTS/CTKS
Número de artículo	354196
Niveles de tensión	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Applicable for	CTS, CTKS 630 A 24 kV
Nominal cross section 12 kV min	150 mm <sup>2</sup>
Nominal cross section 12 kV max	240 mm <sup>2</sup>
Nominal cross section 24 kV min	95 mm <sup>2</sup>
Nominal cross section 24 kV max	240 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	22 mm
Applicable for	CTS, CTKS 630 A 24 kV
Nominal cross section 12 kV min	240 mm <sup>2</sup>
Nominal cross section 12 kV max	300 mm <sup>2</sup>
Nominal cross section 24 kV min	240 mm <sup>2</sup>
Nominal cross section 24 kV max	300 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	23.7 mm
Applicable for	CTS, CTKS 630 A 36 kV
Nominal cross section 24 kV min	95 mm <sup>2</sup>
Nominal cross section 24 kV max	240 mm <sup>2</sup>
Nominal cross section 36 kV min	50 mm <sup>2</sup>
Nominal cross section 36 kV max	150 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	22 mm
Applicable for	CTS, CTKS 630 A 36 kV
Nominal cross section 24 kV min	240 mm <sup>2</sup>
Nominal cross section 24 kV max	240 mm <sup>2</sup>
Nominal cross section 36 kV min	150 mm <sup>2</sup>
Nominal cross section 36 kV max	240 mm <sup>2</sup>
Diameter over core insulation after removal of the outer conductive layer min	30.8 mm

Datos logísticos

Denominación del artículo	AS-2/CTS/CTKS
Número de artículo	354196
Ámbito de entrega	Tubos termorretráctiles
	Ramificación
	Masilla adhesiva
	Tubo de malla de cobre
	Accesorios de montaje
	Instrucciones de montaje
Durabilidad textos adicionales	Almacenamiento ilimitado
Número de arancel	39173900
EAN/GTIN	4010311171364

SAP Datos de embalaje

Alternativa unidad de medida	Bolsa1
Cantidad base	1
Base unidad de medida	Piece
Largo (mm)	1096
Ancho (mm)	180
Altura (mm)	117
Peso neto (kg)	0.821
Peso bruto (kg)	0.821