

Verdeelset voor CHE, CHESK en CTS, CTKS

voor 3-aderige kabel tot 36 kV

De trifurcatiekit maakt de installatie mogelijk van producten die zijn ontworpen voor 1-aderige kabel op 3-aderige kabel, geschikt voor verschillende kabeltypes.



Produktbeschrijving

Artikelbeschrijving	AS-2/CTS/CTKS
Artikelnummer	354196

Eigenschappen

Makkelijke en snelle montage
Zeer goede elektrische eigenschappen
Grote mechanische sterkte

Toepassing

Binnen/Buiten
Becherming tegen stof en vocht

Technische gegevens

Artikelbeschrijving	AS-2/CTS/CTKS
Artikelnummer	354196
Spanningsniveaus	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Applicable for	CTS, CTKS 630 A 24 kV
Nominal cross section 12 kV min	150 mm ²
Nominal cross section 12 kV max	240 mm ²
Nominal cross section 24 kV min	95 mm ²
Nominal cross section 24 kV max	240 mm ²
Diameter over core insulation after removal of the outer conductive layer min	22 mm
Applicable for	CTS, CTKS 630 A 24 kV
Nominal cross section 12 kV min	240 mm ²
Nominal cross section 12 kV max	300 mm ²
Nominal cross section 24 kV min	240 mm ²
Nominal cross section 24 kV max	300 mm ²
Diameter over core insulation after removal of the outer conductive layer min	23.7 mm
Applicable for	CTS, CTKS 630 A 36 kV
Nominal cross section 24 kV min	95 mm ²
Nominal cross section 24 kV max	240 mm ²
Nominal cross section 36 kV min	50 mm ²
Nominal cross section 36 kV max	150 mm ²
Diameter over core insulation after removal of the outer conductive layer min	22 mm
Applicable for	CTS, CTKS 630 A 36 kV
Nominal cross section 24 kV min	240 mm ²
Nominal cross section 24 kV max	240 mm ²
Nominal cross section 36 kV min	150 mm ²
Nominal cross section 36 kV max	240 mm ²
Diameter over core insulation after removal of the outer conductive layer min	30.8 mm

Logistieke gegevens

Artikelbeschrijving	AS-2/CTS/CTKS
Artikelnummer	354196
Levering	Warmtekrimpbuizen
	Verdeelkap
	Hechtkit
	Kopergaasslang, koperen vlechtwerkbuis
	Klein montagemateriaal
	Montagehandleiding
Duurzaamheid aanvullende teksten	Onbeperkt houdbaar
Land van oorsprong	Duitsland
Douanetariefnummer	39173900
EAN/GTIN	4010311171364

Verpakkingsgegevens

Alternatieve maateenheid	Zak1
Basishoeveelheid	1
Basis maateenheid	Stuk
Lengte (mm)	1096
Breedte (mm)	180
Hoogte (mm)	117
Netto gewicht (kg)	0.821
Bruto gewicht (kg)	0.821