

Heat shrinkable straight-through joint
with temperature colour indicator for telecommunication cables

For connecting or branching telecommunication cables insulated with PVC or PE (e.g. A-2YF(L)2Y, A-02YSF(L)2Y, A-PWE2Y, A-PM, A-PM2Y, A-PMbc). Suitable for wire connectors.




Product description

Article name	VASMI 1 L SRT
Article number	145561
Optional accessory	Assembly kit MSFA (required for each branch)
	Wire connectors AVS (see Connecting technology)

Characteristics
Compact dimensions
With temperature colour indicator
Suitable for cut and uncut cables
Removable (for repairs or switch-over)
Resistant to chemical agents
Resistant to alkaline earth elements
Stabilized against UV rays
Free from paint-wetting inhibiting substances
Halogen-free
Waterproof and moisture-resistant

Applications
Indoor areas (also with high humidity levels)
Outdoor
Underground
Water
Installation ducts
Ductwork

Technical data



Article name	VASMI 1 L SRT
Article number	145561
Length L1	390 mm
Diameter D1 over protective liner	43 mm
Diameter cable min	8 mm
Diameter cable max	35 mm
Telecommunication cable spliced with wire connector Number of wire pairs 0,4 mm max	70 Pieces
Telecommunication cable spliced with wire connector Number of wire pairs 0,6 mm max	40 Pieces
Telecommunication cable spliced with wire connector Number of wire pairs 0,8 mm max	20 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,4 mm max	100 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,6 mm max	70 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,8 mm max	30 Pieces

Logistics data

Article name	VASMI 1 L SRT
Article number	145561
Delivery scope	Heat shrinkable sleeve
	Flexible locking bar
	Protective liner
	Drying agent
	Shield continuity wire with clamps
	Fire protection film
	PVC insulation tape
	Cleaning tissue
	Emery cloth
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311017235

Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	50
Base unit of measure	Piece	Piece
Lenght (mm)	396	585
Width (mm)	220	390
Height (mm)	40	495
Net weight (kg)	0.339	16.95
Gross weight (kg)	0.339	17.25