

Heat shrinkable straight-through joint
with temperature colour indicator for telecommunication cables

For connecting or branching telecommunication cables insulated with PVC or PE (e.g. A-2YF(L)2Y, A-02YSF(L)2Y, A-PWE2Y, A-PM, A-PM2Y, A-PMbc). Suitable for wire connectors.



Product description

Article name	VASMI 1 SRT
Article number	145562
Optional accessory	Assembly kit MSFA (required for each branch)
	Wire connectors AVS (see Connecting technology)

Characteristics
Compact dimensions
With temperature colour indicator
Suitable for cut and uncut cables
Removable (for repairs or switch-over)
Resistant to chemical agents
Resistant to alkaline earth elements
Stabilized against UV rays
Free from paint-wetting inhibiting substances
Halogen-free
Waterproof and moisture-resistant

Applications
Indoor areas (also with high humidity levels)
Outdoor
Underground
Water
Installation ducts
Ductwork

Article name	VASMI 1 SRT
Article number	145562
Length L1	330 mm
Diameter D1 over protective liner	43 mm
Diameter cable min	8 mm
Diameter cable max	35 mm
Telecommunication cable spliced with wire connector Number of wire pairs 0,4 mm max	30 Pieces
Telecommunication cable spliced with wire connector Number of wire pairs 0,6 mm max	20 Pieces
Telecommunication cable spliced with wire connector Number of wire pairs 0,8 mm max	10 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,4 mm max	40 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,6 mm max	30 Pieces
Telecommunication cable spliced with conductor connecting blocks Number of wire pairs 0,8 mm max	20 Pieces

Logistics data

Article name	VASMI 1 SRT
Article number	145562
Delivery scope	Heat shrinkable sleeve
	Flexible locking bar
	Protective liner
	Drying agent
	Shield continuity wire with clamps
	Fire protection film
	PVC insulation tape
	Cleaning tissue
	Emery cloth
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	39173900
EAN/GTIN	4010311017228

Packaging data

Alternative unit of measure	Bag1	Carton
Base quantity	1	100
Base unit of measure	Piece	Piece
Length (mm)	362	810
Width (mm)	224	610
Height (mm)	37	525
Net weight (kg)	0.244	24.4
Gross weight (kg)	0.244	24.7